

CYANONEWS

Volume 7 Number 1

April 1991

CYANONEWS - a newsletter intended to provide cyanobacteriologists with a forum for rapid informal communication, unavailable through journals. Everything you read in this newsletter is contributed by readers like yourself. Published occasionally, about three times per year.

SUBSCRIPTIONS - \$8 or equivalent/year. (See last page)
CONTRIBUTIONS - Expected every couple of years: a new result, an upcoming meeting or a summary of a past meeting, a post-doctoral opening, a new publication, a request for strains, a change of life... something. See last page for addresses you can send news to.

HOW TO FIND OUT MORE ABOUT SOMETHING YOU READ HERE - Contact the person whose name is capitalized in the news item. Addresses are given at the end of the issue. Also, a Directory of Cyanobacteriologists is distributed every two years. If you need one, write to Jeff Elhai (see last page of newsletter).

INSTRUCTIONS TO AUTHORS - Send news.

COPYRIGHT - This newsletter is not copyrighted and no rights are reserved. You are encouraged to reproduce or to transmit any part of this publication by whatever means at your disposal, no permission required.

PHOTOSYNTHESIS

- * Blue-light pulse induces heterotrophic growth by *Synechocystis* PCC 6803
- * PS I genes expressed in *E.coli*
- * Mutants hint at chromophore attachment mechanism
- * DNA-binding factor requires green light

SYSTEMATICS

- * Rare branching strains rediscovered
- * Codon usage yields *nif* phylogeny

MOLECULAR TOOLS

- * Shuttle vector made for *Microcystis*

RESTRICTION:

by *Nostoc*, characterized

by *Agmenellum*, thwarted with novel trick

NITROGEN FIXATION

- * *nif* gene found on cyanophage

BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD*BOARD

The AMERICAN SOCIETY FOR PHOTOBIOLOGY will hold its annual meeting June 22-26, 1991, in San Antonio, Texas, U.S.A.

Richard Burke, Jr, American Society for Photobiology, 8000 Westpark Dr., Suite 130, McLean, VA 22201. (Tel) 703-790-1745. (Fax) 703-790-9063.

The AUSTRALIAN SOCIETY OF MICROBIOLOGY will hold its annual meeting in Gold Coast, Queensland, June 30 - July 5, 1991.

D. Moriarty, Chairman, CSIRO, PO Box 120, Cleveland 4163, Australia. (Fax) 61-7-2862582

The 13th NORTH AMERICAN SYMBIOTIC NITROGEN FIXATION CONFERENCE will be held in Banff, Alberta, Canada, August 25-30, 1991.

L. Nelson, Plant Biotechnology Institute, Saskatoon, SK, Canada. (Tel) 306-975-5583.
or: C. van Kessel, Dept. of Soil Science, Univ. of Saskatchewan, Saskatoon, SK, Canada. (Tel) 306-966-6854, (FAX) 306-966-6881.

The AGROTECH INTERNATIONAL EXHIBITION OF AGRICULTURAL TECHNOLOGIES AND PRODUCTS will be held in Moscow, USSR, August 20-26, 1991.

Glabe International KG, P.O. Box 800349, Cologne, Germany

The INTERNATIONAL CONFERENCE ON BIOLOGICAL CONTROL IN TROPICAL AGRICULTURE will be held in Malacca, Malaysia, August 27-30, 1991.

Ahmad Anwar Ismail, MARDI, P.O. Box 12301, Kuala Lumpur 50774, Malaysia.

A conference on BIOTECHNOLOGIES AND ENVIRONMENT FOR A SUSTAINABLE DEVELOPMENT will be held in Montreal, Quebec, Canada, August 23-26, 1991.

Diane Chalifour, University of Montreal, C.P. 6128, succursale A, Montreal, Quebec, Canada H3C 3J7.

The INTERNATIONAL SYMBIOSIS CONGRESS will be held November 17-22, 1991, in Jerusalem, Israel
International Symbiosis Congress, P.O. Box 50006, Tel Aviv 61500, Israel. (Tel) 972-3-654571.
(Fax) 972-3-655674.

The Biomedical Centre (BMC) at Uppsala University and the Swedish University of Agricultural Sciences is offering a course in ALGAL BIOTECHNOLOGY, with emphasis on tissue culture and nitrogen/carbon metabolism. Electron microscopy, Western blot, and immunogold cytochemistry are some of the techniques that will be presented. The course, intended for graduate students, will be held July 1-8, 1991. There is no registration fee. Application deadline May 1, 1991.

Marianne Pedersén, Department of Physiological Botany, Uppsala University, Box 540, S-751 21 Uppsala, Sweden. Phone: +46 18 18 28 17. FAX: +46 18 55 98 55.

Two POSTDOCTORAL POSITIONS and one GRADUATE RESEARCH FELLOWSHIP are available August, 1991, for research in the structure, function, and assembly of photosynthetic membranes in cyanobacteria. One postdoctoral position will study the structure and function of Photosystem II chlorophyll-protein complexes, including a complex that is controlled by the level of iron availability. The second postdoctoral position and the graduate fellow will analyze gene regulation in nitrogen-fixing, unicellular cyanobacteria. This project will be performed as part of a NASA Center in Bioregenerative Life Support and will provide an opportunity to interact with scientists who are interested in the application of plant biotechnology for the space program. The projects involve such techniques as gene cloning, site-directed mutagenesis, and membrane biochemistry. Experience in either photosynthesis or molecular biology is desirable. Salaries are competitive. Predoctoral applicants should send a brief letter of inquiry. Post doctoral applicants should send a curriculum vitae, three letters of reference, and college transcripts.

Louis Sherman, Professor and Head, Department of Biological Sciences, Lilly Hall of Life Sciences, Purdue University, West Lafayette, IN 47907-1392 U.S.A. (FAX) 317-494-0876.

A new CYANOBACTERIAL DIRECTORY and DIRECTORY OF E-MAIL ADDRESSES has been compiled.

Jeff Elhai, MSU-DOE Plant Research Laboratory, Michigan State University, East Lansing, MI 48824 U.S.A. (Tel) 517-353-6641. (E-Mail) Cyano@MSU.Bitnet or Cyano@MSU.Edu

=====
TRANSI TI ONS*TRANSI TI ONS*TRANSI TI ONS*TRANSI TI ONS*TRANSI TI ONS*TRANSI TI ONS*TRANSI TI
=====

We note with sadness the passing of MOSHE SHILO, who died on June 27, 1990.

=====
NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*
=====

MASS CULTURES OF CYANOBACTERIA FIGHT CANCER

TOM ALLNUTT tells us about cyanobacterial activities at Martek Corporation. They are currently using cyanobacteria to produce labeled biomass, using stable isotopes (C-13 and N-15), and to produce phycobiliproteins in bulk. They are also a sub-contractor for the National Cancer Institute for scale-up production of cyanobacterial strains that have been shown to produce compounds with anti-cancer or anti-AIDS activity, concentrating at present on *Lyngbya lagerhemii*, *Phormidium tenue*, and *Aphanocapsa musicola*. Martek is always looking for unique compounds that cyanobacteria might economically produce.

Unfortunately, we are told by GREG PATTERSON, due to the 10% blanket budget cuts imposed at the U.S. National Cancer Institute, the recompetition for the blue-green cultivation contract has been cancelled. The original contract funded the collection of over a thousand cyanobacterial strains by workers at University of Hawaii for the purpose of identifying compounds active against cancer and AIDS.

NEW RESTRICTION BARRIERS FOUND, THWARTED BY NOVEL TRICK

DON BRYANT reports that after much anguish JIANHUI ZHOU in his laboratory made the realization that there is a second, previously unrecognized restriction activity in *Synechococcus* PCC 7002 (*Agmanellum quadruplicatum*) in addition to AqI. The specificity of the activity is not known, but they have overcome the problem in a way that might be generally applicable to other systems. They use sonicated extracts of PCC 7002, in the presence of 10 mM EDTA and 80 μ M S-adenosylmethionine, to methylate DNA prior to transformation. DNA that yields no transformants without methylation can readily transform *Synechococcus* after the procedure. The extracts can be stored for 7 to 14 days at -80° C.

DUANE MOSER is investigating restriction by *Nostoc* PCC 7121 as a potential barrier to transformation. He has partially purified one endonuclease from the organism and found that it is an isoschizomer of AsuI.

CYANOPHAGE MAY TEACH *NOSTOC* TO FIX NITROGEN

F. KAMILOVA and her colleagues have recently shown that at least one of the genes encoding nitrogenase is present in the DNA of temperate cyanophages of the NP-1T series and in the DNA of *Nostoc* sp. N39 lysogenized by these phages. The probe used (a 6.2 kb EcoRI fragment from *Klebsiella pneumoniae*) did not detect *nif* sequences in uninfected *Nostoc* sp. N39.

RARE BRANCHING CYANOBACTERIA REDISCOVERED

LUCIEN HOFFMAN announces the rediscovery of rare branching cyanobacteria. Many of the true branching cyanobacteria (section V of Rippka et al. [J Gen Microbiol (1989) 111:1-61]; *Stigonematales* of algologists), the morphologically most differentiated prokaryotes, are very rare and often found only in biotopes with very specialized ecological conditions. Only two genera have been recharacterized from axenic cultures. Recently two of these rare cyanobacteria, the genera *Loriella* and *Mastigocladopsis*, were rediscovered. *Loriella osteophila*, described in 1892 on the basis of material growing on human skulls in Papua New Guinea and not observed since, was rediscovered on limestone in the same region [Hoffmann, Br Phycol J (1990) 25:391-395]. This genus is characterized by dichotomous branching, a rare feature in cyanobacteria. *Mastigocladopsis jogensis*, also not observed since its first description in India in 1946, was rediscovered in Corsica [Hoffmann, Crypt Algol (1990) 11:219-224]. This genus is characterized by having lateral heterocysts, a characteristic observed in very few cyanobacteria. The fact that these two species were so far not found in the well studied temperate regions of Europe and North America indicates that they may have a very limited geographical distribution. These findings also show that taxonomists should continue to work with the old floras, because many of the cyanobacterial genera have not yet been cultured. Neglecting these genera would mean that the morphologically most differentiated cyanobacteria would not be considered.

SHUTTLE VECTOR CONSTRUCTED FOR *MICROCYSTIS*

SHIRLEY RAPS's laboratory is characterizing a plasmid, pMa025, recently isolated from *Microcystis*. Preliminary results indicate that a hybrid plasmid they have constructed can serve as a shuttle vector between *E. coli* and the strain of *Microcystis* from which pMa025 was isolated.

PS I GENES EXPRESSED IN *E. COLI*

DON BRYANT's laboratory has continued its efforts to express PS I genes from *Synechococcus* PCC 7002 in *E. coli* with the aim of using the gene products in reconstitution experiments. Jindong Zhao has expressed *psaC*, *psaC1*, *psaD*, *psaE*, and *psaF* in *E. coli* (the work on *psaC1* and *psaD* recently appeared in FEBS Lett (1990) 276:175-180). Mutant PsaC proteins are being produced for analysis of the roles of iron-sulfur clusters F_A and F_B in electron transport. Wendy Schluchter has completed the sequence of the *petH* gene (encoding FNR = ferridoxin:NADP oxidoreductase) in *Synechococcus* PCC 7002. It predicts a protein of 45kDa, which is the size of the mature protein in *Synechococcus*, as judged by Western blots. The gene is required for viability. Next to *petH* and transcribed in the opposite direction is *ndh5*. Expression of *petH* in *E. coli* would make all proteins available for the reconstitution of the electron transport chain from P_{700} to NADP.

PHYLOGENY OF *NIF* GENES DERIVED FROM CODON USAGE

RAKESH TULI updates us on the analysis he and Manjula Mathur have performed on the genes encoding proteins related to nitrogen fixation (*nif* genes). Previous results were reported in *CyanoNews* (May '89 and March '90) and have since been published [*J Genetics* (1990) 69:67-78]. They have developed a method for cluster analysis of relative synonymous codon usage (RSCU). RSCU values groups the *nif* genes from various organisms in a taxon-specific manner. For instance, all the *Azotobacter nif* genes cluster together on the basis of codon usage, while analysis of sequence similarity leads to anomolous groupings. The groupings based on sequence similarity may be indicative of lateral transfer of *nif* genes in some cases [Mathur and Tuli, *J Mol Evol* (1991) in press].

The *nif* genes of *Anabaena* make a separate group according to RSCU-based cluster analysis. Only in the *nif* genes of *Anabaena* is the GC content at silent and replacement positions similar to each other and fall within the standard deviation for the universal mutation selection equilibrium point [Ep and Sueoka (1988) *Proc Natl Acad Sci USA* 85:2653-2657]. This finding suggests that the directional mutation pressure is completely counteracted by the selective constraints on cyanobacterial *nif* genes. The *Anabaena* genes show negligible GC/AT pressure and are comprised of codons selected for high translational efficiency (i.e., intermediate codon-anticodon interaction energy [Grosjean and Fiers (1982) *Gene* 18:199-209]).

ENZYMATIC ATTACHMENT OF CHROMOPHORE TO PHYCOBILIPROTEIN DEDUCED

JIANHUI ZHOU has recently shown that the yellow-green (PC-deficient) phenotype of strain lacking *cpcBA* and mutated in *cpcE* can be suppressed by a plasmid carrying *cpcBA* in which a Tyr of *CpcA* has been replaced by Cys. A similar plasmid carrying wild-type *cpcBA* cannot suppress the phenotype. This result suggests that the attachment of phycocyanobilin is enzymatically accomplished and that an alternative enzyme system can function with the mutant protein (which must be a much better substrate for that system than the wild-type protein).

A site directed mutation (Ser to Cys) in *ApcE* prevents the attachment of the chromophore to that polypeptide, although phycobilisomes are still assembled. Interestingly, a new emission maximum of about 715 nm appears from the intact structures. Perhaps the *ApcE* protein is binding the precursor of peptide-bound phycocyanobilin. The structure of the precursor is unknown, but it is expected to contain one additional double bond, hence would give a red-shifted emission. If true, then it should be possible to use this mutant to study energy transfer and chromophore attachment.

Alicia Esteban and Vicki Stirewalt are sequencing *apcEABC* and *apcF* from *Mastigocladus laminosus*. Manuel Glauser has completed sequencing a fragment from the same organism that encodes a portion of *cpcF*, *cpcG1*, *cpcG2*, and *cpcG4*.

ALGAL PLASTID GENOMES SEQUENCED, MAPPED

Perhaps it is presumptuous to admit chloroplast news into this newsletter, but plastids may shed some light on cyanobacterial matters (and they may have some small interest in their own right). MICHAEL REITH has been sequencing the plastid genome of *Porphyra umbilicalis*, a red alga related to the species used to wrap sushi. The red algal plastid genome is larger than that of higher plants (about 185 kb vs. 155 kb) with a smaller inverted repeat (about 5 kb vs. 25 kb). These numbers suggest the potential for approximately 50 kb more of coding capacity in the red algal plastid genome. Indeed, his group has already detected six genes and a possible ORF that aren't encoded on higher plant plastid genomes. For all the genes that they've sequenced or partially sequenced (about 15), the similarity between cyanobacterial and red algal plastid versions is quite high. Pure cyanobacteriologists may be interested in the use of genes from the red algal plastid genome as probes for some genes not encoded on higher plant plastid genomes.

The plastids of *Cyanophora* differs from those of *Porphyra* by the presence of a peptidoglycan envelope and a smaller plastid genome (130 kb). Approximately 60 kb has been sequenced by all laboratories working on *Cyanophora*. Vicki Stirewalt (says DON BRYANT) has continued her work on the plastid genome of *Cyanophora*. She has found genes encoding DnaK (a heat shock protein), GroEL (a chaperonin), Rps11 and Rps13 (ribosomal proteins), and FrxC (a subunit of protochlorophyllide reductase), amongst others. The 16S rRNA sequence has also been completed.

HETEROTROPHIC GROWTH BY SYNECHOCYSTIS REQUIRES BLUE LIGHT

SHAWN ANDERSON and Lee McIntosh report on their study of the heterotrophic growth of *Synechocystis* sp. PCC 6803. A glucose tolerant strain of *Synechocystis* PCC 6803 is unable to grow on glucose in complete darkness unless given a brief daily pulse of light, typically 5 min of $40 \mu\text{mol m}^{-2}\text{s}^{-1}$ of white light. A doubling time of 36 hours is observed for cultures containing 5 mM glucose that are pulsed with light. The light pulse alone is insufficient for photoautotrophy, as glucose is required and growth yield is dependent upon glucose concentration. A strain of *Synechocystis* PCC 6803 defective in PS II (*psbA*) grows at a rate similar to that of the glucose tolerant strain under light pulsed conditions, indicating that PS II is not required for growth. Only blue light (400 to 500 nm, maximum at 450 nm) is effective to promote growth under these conditions, and this spectral sensitivity precludes energetic contribution from cyclic electron transport around PS I. The required blue light pulse evidently does not support growth via photosynthetic electron transport but rather functions as an environmental signal regulating heterotrophic metabolism, cell division, and/or other photomorphogenic processes. The requirement for pulses of blue light pulse for the growth of *Synechocystis* PCC 6803 has been termed "light-activated heterotrophic growth" (LAHG) to distinguish *Synechocystis* PCC 6803 from those cyanobacteria that can grow heterotrophically under complete darkness (i.e., *Anabaena variabilis* ATCC 29413). A report on this work will appear in the *Journal of Bacteriology*.

GREEN-LIGHT SPECIFIC DNA BINDING FACTOR CROSSES GENERIC BOUNDARIES

Jim Dubbs finished his dissertation in DON BRYANT's laboratory on phycobiliprotein genes in *Pseudanabaena* PCC 7409 and has moved on to work with Jim Barber. In the course of his dissertation work, Jim obtained evidence for a green-light specific DNA binding factor in *Calothrix* PCC 7601 that binds to a small fragment containing the promoter of the *cpeBA* operon. Attempts to identify the precise binding site were unsuccessful, but a region adjacent to the promoter that contains direct repeats is a prime suspect. The DNA binding factor of *Calothrix* also bound strongly to *Pseudanabaena* DNA, and this binding also was green-light specific.

=====
REFERENCES*REFERENCES*REFERENCES*REFERENCES*REFERENCES*REFERENCES*REFERENCES*REFE
=====

EVOLUTION and SYSTEMATICS

- Bonilla I, Garcia-Gonzalez M, Mateo P (1990). Boron requirement in cyanobacteria. Its possible role in the early evolution of photosynthetic organisms. *Plant Physiol* 94(4):1554-1560.
- Enzien MV (1990). Cyanobacteria or rhodophyta? Interpretation of a Precambrian microfossil. *BioSystems* 24(3):245-251.
- Kazmierczak J, Kempe S (1990). Modern cyanobacterial analogs of Paleozoic stromatoporoids. *Science* 250(4985):1244-1248.
- Mathur M, Tuli R (1991). Analysis of codon usage in genes for nitrogen fixation from phylogenetically diverse diazotrophs. *J Mol Evol* 31:(in press).
- Mathur M, Tuli R (1990). Cluster analysis of genes for nitrogen fixation from several diazotrophs. *J Genet* 69:67-78.
- Stevens Jr SE, Nierzwicki-Bauer SA (1990). The cyanobacteria. In: *Structure of the Phototrophic Prokaryotes* (JF Stolz, ed.). CRC Press, Inc., Boca Raton, pp.15-47.

ECOLOGY and SYMBIOSIS

- Capone DG, O'Neil JM, Zehr J, Carpenter EJ (1990). Basis for diel variation in nitrogenase activity in the marine planktonic cyanobacterium *Trichodesmium thiebautii*. *Appl Environ Microbiol* 56(11):3532-3536.
- Richardson LL, Aguilar C, Neelson KH (1988). Manganese oxidation in pH and O₂ microenvironments produced by phytoplankton. *Limnol Oceanogr*. 33:352-363.
- Richardson LL, Castenholz RW (1987). Diel vertical movements of the cyanobacterium *Oscillatoria terebriformis* in a sulfide-rich hot spring microbial mat. *Appl Environ Microbiol* 53:2142-2150.

- Braun-Howland EB, Nierzwicki-Bauer SA (1990). Biochemistry, physiology, ultrastructure and molecular biology of the *Azolla-Anabaena* symbiosis. In: *Handbook of Symbiotic Cyanobacteria* (AN Rai, ed.). CRC Press Inc., Boca Raton, pp.65-118.
- Meindl D, Loos E (1990). Release of glucose by *Nostoc* spec. isolated from the lichen *Peltigera horizontalis*. *Plant Sci* 72(2):283-288.
- Soederbaeck E, Lindblad P, Bergman B (1990). Developmental patterns related to nitrogen fixation in the *Nostoc-Gunnera magellanica* Lam. symbiosis. *Planta* 182(3):355-362.
- Tang LF, Watanabe I, Liu CC (1990). Limited multiplication of symbiotic cyanobacteria of *Azolla* spp. on artificial media. *Appl Environ Microbiol* 56(11):3623-3626.

TOXINS and NATURAL SUBSTANCES

- Aimi N, Odaka H, Sakai S, Fujiki H, Suganuma M, Moore RE, Patterson GML (1990). Lyngbyatoxins B and C, two new irritants from *Lyngbya majuscula*. *J Nat Prod* 53(6):1593-1596.
- Bloor S, England RR (1991). Elucidation and optimization of the medium constituents controlling antibiotic production by the cyanobacterium *Nostoc muscorum*. *Enzyme Microb Technol* 13(1):76-81.
- Carmeli S, Moore RE, Patterson GML, Corbett TH, Valeriote FA (1990). Tantazoles: Unusual cytotoxic alkaloids from the blue-green alga *Scytonema mirabile*. *J Am Chem Soc* 112(22):8195-8197.
- Ishitsuka MO, Kusumi T, Kakisawa H, Kaya K, Watanabe MM (1990). Microviridin: A novel tricyclic depsipeptide from the toxic cyanobacterium *Microcystis viridis*. *J Am Chem Soc* 112(22):8180-8182.
- Mori Y, Kohchi Y, Suzuki M, Carmeli S, Moore RE, Patterson GML (1991). Isotactic polymethoxy-1-alkenes from blue-green algae. Synthesis and absolute stereochemistry. *J Org Chem* 55(2):631-637.
- Namikoshi M, Rinehart KL, Sakai R, Sivonen K, Carmichael WW (1990). Structures of three new cyclic heptapeptide hepatotoxins produced by the cyanobacterium (blue-green alga) *Nostoc* sp. strain 152. *J Org Chem* 55(25):6135-6139.
- Eriksson JE, Toivola D, Meriluoto JAO, Karaki H, Han Y-G, Hartshorne D (1990). Hepatocyte deformation induced by cyanobacterial toxins reflects inhibition of protein phosphatases. *Biochem Biophys Res Commun* 173(3):1347-1353.
- Hermansky SJ, Casey PJ, Stohs SJ (1990). Cyclosporin A -- A chemoprotectant against microcystin-LR toxicity. *Toxicol Lett* 54(2-3):279-285.
- Hermansky SJ, Wolff SN, Stohs SJ (1990). Use of rifampin as an effective chemoprotectant and antidote against microcystin-LR toxicity. *Pharmacology* 41(4):231-236.
- Honkanen RE, Zwiller J, Moore RE, Daily SL, Khatra BS, Dukelow M, Boynton AL (1990). Characterization of microcystin-LR, a potent inhibitor of type 1 and type 2A protein phosphatases. *J Biol Chem* 265(32):19401-19404.
- Ichinose M, Endo S, Critz SD, Shenolikar S, Byrne JH (1990). Microcystin-LR, a potent protein phosphatase inhibitor, prolongs the serotonin- and cAMP-induced currents in sensory neurons of *Aplysia californica*. *Brain Res* 533(1):137-140.
- Kiviranta J, Saario E, Sivonen K, Niemelä (1990). Mouse oral toxicity of the cyanobacterium *Nodularia spumigena*, and inhibition of hepatotoxicity by hydrocortisone. *Acta Pharm Fennica* 99:69-76.
- MacKintosh C, Klumpp S (1990). Tautomycin from the bacterium *Streptomyces verticillatus*: Another potent and specific inhibitor of protein phosphatases 1 and 2A. *FEBS Lett* 277(1-2):137-140.
- Meriluoto JAO, Nygard SE, Dahlem AM, Eriksson JE (1990). Synthesis, organotropism and hepatocellular uptake of two tritium-labeled epimers of dihydromicrocystin-LR, a cyanobacterial peptide toxin analog. *Toxicon* 28(12):1439-1446.
- Naseem SM, Hines HB, Creasia DA (1990). Inhibition of microcystin-induced release of cyclooxygenase products from rat hepatocytes by anti-inflammatory steroids. *Proc Soc Exp Biol Med* 195(3):345-349.
- Robinson NA, Pace JG, Matson CF, Miura GA, Lawrence WB (1991). Tissue distribution, excretion and hepatic biotransformation of microcystin-LR in mice. *J Pharmacol Exp Ther* 256(1):176-182.
- Rojas M, Nunez MT, Zambrano F (1990). Inhibitory effect of a toxic peptide isolated from a waterbloom of *Microcystis* sp. (Cyanobacteria) on iron uptake by rabbit reticulocytes. *Toxicon* 28(11):1325-1332.
- Runnegar MTC, Gerdes RG, Falconer IR (1991). The uptake of the cyanobacterial hepatotoxin microcystin by isolated rat hepatocytes. *Toxicon* 29(1):43-51.
- Stevens DK, Krieger RI (1991). Effect of route of exposure and repeated doses on the acute toxicity in mice of the cyanobacterial nicotinic alkaloid anatoxin-A. *Toxicon* 29(1):134-138.

PHYSIOLOGY and METABOLISM

- Bianchini GM, Pastini AC, Muschiatti JP, Tellez-Inon MT, Martinetto HE (1990). Adenylate cyclase activity in Cyanobacteria: Activation by Ca^{2+} -calmodulin and a calmodulin-like activity. *Biochim Biophys Acta Mol Cell Res* 1055(1):75-81.
- Cohen Z, Vonshak A (1991). Fatty acid composition of *Spirulina* and *Spirulina*-like cyanobacteria in relation to their chemotaxonomy. *Phytochemistry* 30(1):205-206.
- Froehlich JE, Poorman R, Reardon E, Barnum SR, Jaworski JG (1990). Purification and characterization of acyl carrier protein from two cyanobacteria species. *Eur J Biochem* 193(3):817-825.
- Pentecost A (1990). The tractive force generated by a motile, filamentous cyanobacterium. *Microbios Lett* 44(175-176):111-117.
- Richardson LL, Castenholz RW (1989). Chemokinetic motility responses of the cyanobacterium *Oscillatoria terebriformis*. *Appl Environ Microbiol* 55:261-263.
- Richardson LL, Castenholz RW (1987). Enhanced survival of the cyanobacterium *Oscillatoria terebriformis* in darkness under anaerobic conditions. *Appl Environ Microbiol* 53:2151-2158.
- Sallal AK, Nimer NA, Radwan SS (1990). Lipid and fatty acid composition of freshwater cyanobacteria. *J Gen Microbiol* 136(10):2043-2048.

SALINITY and STRESS RESPONSES

- Apte SK, Haselkorn R (1990). Cloning of salinity stress-induced genes from the salt-tolerant nitrogen-fixing cyanobacterium *Anabaena torulosa*. *Plant Mol Biol* 15(5):723-733.
- Huflejt ME, Tremolieres A, Pineau B, Lang JK, Hatheway J, Packer L (1990). Changes in membrane lipid composition during saline growth of the fresh water cyanobacterium *Synechococcus* 6311. *Plant Physiol* 94(4):1512-1521.
- Molitor V, Kuntner O, Sleytr UB, Peschek GA (1990). The ultrastructure of plasma and thylakoid membrane vesicles from the fresh water cyanobacterium *Anacystis nidulans* adapted to salinity. *Protoplasma* 157(1-3):112-119.
- Oren A (1990). Formation and breakdown of glycine betaine and trimethylamine in hypersaline environments. *Antonie Van Leeuwenhoek* 58(4):291-298.
- Borbely G, Suranyi G, Kos P (1990). Stress responses of cyanobacteria and the pleiotropic effects of light deprivation. *FEMS Microbiol Ecol* 74(2-3):141-152.

NITROGEN METABOLISM and HETEROCYSTS

- Ch'ang WN, Yakunin AF, Gogotov IN (1990). Influence of fructose on nitrogenase synthesis by the heterocystic cyanobacterium *Anabaena sphaerica*. *Microbiol* 59:156-159 [Eng]. *Mikrobiol* 59:245-248 [Russ].
- Gallon JR, Hashem MA, Chaplin AE (1991). Nitrogen fixation by *Oscillatoria* spp. under autotrophic and photoheterotrophic conditions. *J Gen Microbiol* 137(1):31-39.
- Lammers PJ, McLaughlin S, Papin S, Trujillo-Provencio C, Ryncarz AJ II (1990). Developmental rearrangement of cyanobacterial *nif* genes: Nucleotide sequence, open reading frames, and cytochrome P-450 homology of the *Anabaena* sp. strain PCC 7120 *nifD* element. *J Bacteriol* 172(12):6981-6990.
- Bagchi SN, Kleiner D (1990). Dismutation of hydroxylamine to ammonia and nitrite by a novel, membrane-bound enzyme from the cyanobacterium *Phormidium uncinatum*. *Biochim Biophys Acta Protein Struct Mol Enzymol* 1041(1):9-13.
- Duke CS, Allen MM (1990). Effect of nitrogen starvation on polypeptide composition, ribulose-1, 5-bisphosphate carboxylase/oxygenase, and thylakoid carotenoprotein content of *Synechocystis* sp. strain PCC 6308. *Plant Physiol* 94(2):752-759.
- Flores E, Muro-Pastor AM (1990). Mutational and kinetic analysis of basic amino acid transport in the cyanobacterium *Synechocystis* sp. PCC 6803. *Arch Microbiol* 154(6):521-527.
- Mackerras AH, De Chazal NM, Smith GD (1990). Transient accumulations of cyanophycin in *Anabaena cylindrica* and *Synechocystis* 6308. *J Gen Microbiol* 136(10):2057-2065.

- Mackerras AH, Youens BN, Weir RC, Smith GD (1990). Is cyanophycin involved in the integration of nitrogen and carbon metabolism in the cyanobacteria *Anabaena cylindrica* and *Gloeotheca* grown on light/dark cycles?. *J Gen Microbiol* 136(10):2049-2056.
- Mahasneh IA (1991). Influence of iron content on nitrogenase activity and heterocyst formation of the blue-green alga (cyanobacterium) *Calothrix viguieri* M101 Fremy. *Microbios* 65(262):31-37.
- Reddy PM, Conway CM, Fisher RW (1990). Tunicamycin induced structural and developmental changes in the cyanobacterium *Anabaena azollae* Stras.. *Microbios Lett* 44(174):83-93.
- Lindblad P, Sellstedt A (1990). Occurrence and localization of an uptake hydrogenase in the filamentous heterocystous cyanobacterium *Nostoc* PCC 73102. *Protoplasma* 159(1):9-15.

CARBON METABOLISM

- Kettleborough CA, Parry MAJ, Keys AJ, Phillips AL (1990). Chimaeras of the Rubisco large subunit from wheat and *Anacystis* do not assemble into active enzyme in *E. coli*. *J Exp Bot* 41(231):1287-1292.
- Luinenburg I, Coleman JR (1990). A requirement for phosphoenolpyruvate carboxylase in the cyanobacterium *Synechococcus* PCC 7942. *Arch Microbiol* 154(5):471-474.
- Ogawa T (1990). Mutants of *Synechocystis* PCC 6803 defective in inorganic carbon transport. *Plant Physiol* 94(2):760-765.
- Smoker JA, Owen HA, Barnum SR (1990). Immunogold localization of ribulose-1, 5-bisphosphate carboxylase/oxygenase in the nitrogen-fixing cyanobacterium, *Plectonema boryanum*. *Protoplasma* 156(1-2):113-116.

PHOTOSYNTHESIS

- Arieli B, Padan E, Shahak Y (1991). Sulfide-induced sulfide-quinone reductase activity in thylakoids of *Oscillatoria limnetica*. *J Biol Chem* 266(1):104-111.
- Mehari T, Parrett KG, Warren PV, Golbeck JH (1991). Reconstitution of the iron-sulfur clusters in the isolated FA/FB protein: EPR spectral characterization of same-species and cross-species Photosystem I complexes. *Biochim Biophys Acta Bio-Energetics* 1056(2):139-148.
- Braun-Howland EB, Nierzwicki-Bauer SA (1990). Localization of the 32 kD QB protein in vegetative cells, heterocysts and akinetes of *Azolla caroliniana* endosymbionts. *Planta* 180:361-371.
- Burnap RL, Sherman LA (1991). Deletion mutagenesis in *Synechocystis* sp. PCC 6803 indicates that the Mn-stabilizing protein of photosystem II is not essential for O₂ evolution. *Biochemistry* 30(2):440-446.
- Kirilovsky D, Ducruet J-M, Etienne A-L (1990). Primary events occurring in photoinhibition in *Synechocystis* 6714 wild-type and an atrazine-resistant mutant. *Biochim Biophys Acta Bio-Energetics* 1020(1):87-93.
- Metz J, Nixon P, Diner B (1990). Nucleotide sequence of the *psbA3* gene from the cyanobacterium *Synechocystis* PCC 6803. *Nucleic Acids Res* 18(22):6715-6715.
- Serrano A, Gimenez P, Scherer S, Boeger P (1990). Cellular localization of cytochrome c₅₅₃ in the N₂-fixing cyanobacterium *Anabaena variabilis*. *Arch Microbiol* 154(6):614-618.
- Tanaka-Kitatani Y, Satoh K, Katoh S (1990). Interaction of benzoquinones with Q-A and Q-B in oxygen-evolving photosystem II particles from the thermophilic cyanobacterium *Synechococcus elongatus*. *Plant Cell Physiol* 31(7):1039-1047.
- Vernotte C, Astier C, Olive J (1990). State 1-state 2 adaptation in the cyanobacteria *Synechocystis* PCC 6714 wild type and *Synechocystis* PCC 6803 wild type and phycocyanin-less mutant. *Photosynth Res* 26(3):203-212.
- Andreev VP, Maslov YuI (1990). Adaptive changes in pigment apparatus of the cyanobacterium *Anabaena variabilis*. *Microbiol* 59:177-181 [Eng]. *Mikrobiol* 59:272-277 [Russ].
- Eberlein M, Kufer W (1990). Genes encoding both subunits of phycoerythrocyanin, a light-harvesting biliprotein from the cyanobacterium *Mastigocladus laminosus*. *Gene* 94(1):133-136.
- Park JW, Sauer K (1991). Subunit selective bleaching of C-phycoerythrin from *Synechococcus* PCC 6301 strain AN 112 by Cu²⁺ and sodium perchlorate. *Biochim Biophys Acta Bio-Energetics* 1056(2):181-189.
- Reuter W, Nickel C, Wehrmeyer W (1990). Isolation of allophycoerythrin B from *Rhodella violacea* results in a model of the core from hemidiscoidal phycobilisomes of rhodophyceae. *FEBS Lett* 273(1-2):155-158.

- O'Neill GP, Soell D (1990). Expression of the *Synechocystis* sp. strain PCC 6803 tRNA_{Glu} gene provides tRNA for protein and chlorophyll biosynthesis. *J Bacteriol* 172(11):6363-6371.
- Kraushaar H, Hager S, Wastyn M, Peschek GA (1990). Immunologically cross-reactive and redox-competent cytochrome *b₆/f*-complexes in the chlorophyll-free plasma membrane of cyanobacteria. *FEBS Lett* 273(1-2):227-231.
- Briggs LM, Pecoraro VL, McIntosh L (1990). Copper-induced expression, cloning, and regulatory studies of the plastocyanin gene from the cyanobacterium *Synechocystis* sp. PCC 6803. *Plant Mol Biol* 15(4):633-642.
- Fillat MF, Bakker HAC, Weisbeek PJ (1990). Sequence of the ferredoxin-NADP⁺-reductase gene from *Anabaena* PCC 7119. *Nucleic Acids Res* 18(23):7161-7161.
- Sandmann G, Peleato ML, Fillat MF, Lazaro MC, Gomez-Moreno C (1990). Consequences of the iron-dependent formation of ferredoxin and flavodoxin on photosynthesis and nitrogen fixation on *Anabaena* strains. *Photosynth Res* 26(2):119-125.
- Stockman BJ, Krezel AM, Markley JL, Leonhardt KG, Straus NA (1990). Hydrogen-1, carbon-13, and nitrogen-15 NMR spectroscopy of *Anabaena* 7120 flavodoxin: Assignment of Beta-sheet and flavin binding site resonances and analysis of protein-flavin interactions. *Biochemistry* 29(41):9600-9609.
- Tsukihara T, Fukuyama K, Mizushima M, Harioka T, Kusunoki M, Katsube Y, Hase T, Matsubara H (1990). Structure of the [2Fe-2S] ferredoxin I from the blue-green alga *Aphanothece sacrum* at 2.2 Å resolution. *J Mol Biol* 216(2):399-410.

DNA METABOLISM and MOLECULAR GENETICS

- Gruber MY, Glick BR, Thompson JE (1991). *Escherichia coli*-*Anacystis nidulans* plasmid shuttle vectors containing the P_L promoter from bacteriophage lambda. *Curr Microbiol* 22(1):15-19.
- Van der Plas J, Hegeman H, De Vrieze G, Tuyt M, Borrias M, Weisbeek P (1990). Genomic integration system based on pBR322 sequences for the cyanobacterium *Synechococcus* sp. PCC 7942: Transfer of genes encoding plastocyanin and ferredoxin. *Gene* 95(1):39-48.
- Lin H-J, Cannon GC, Heinhorst S (1990). Purification and characterization of a DNA polymerase from the cyanobacterium *Anacystis nidulans* R2. *Nucleic Acids Res* 18(22):6659-6663.
- Muro-Pastor AM, Herrero A, Flores E (1991). Sequence-specific endonucleases from the cyanobacterium *Nostoc* sp. ATCC 29132. *FEMS Microbiol Lett* 77(1):1-4.
- Xie W, Potts M (1991). Gene cluster *rpoBC1C2* in cyanobacteria does not constitute an operon. *Arch Biochem Biophys* 284(1):22-25.
- Xu M-Q, Kathe SD, Goodrich-Blair H, Nierzwicki-Bauer SA, Shub DA (1990). Bacterial origin of a chloroplast intron: Conserved self-splicing group I introns in cyanobacteria. *Science* 250(4987):1566-1570.
- Chitnis PR, Nelson N (1991). Molecular cloning of the genes encoding two chaperone proteins of the cyanobacterium *Synechocystis* sp. PCC 6803. *J Biol Chem* 266(1):58-65.
- Wallace TP, Robinson C, Howe CJ (1990). The reaction specificities of the pea and a cyanobacterial thylakoid processing peptidase are similar but not identical. *FEBS Lett* 272(1-2):141-144.

APPLIED CYANOBACTERIOLOGY

- Chungjatupornchai W (1990). Expression of the mosquitocidal-protein genes of *Bacillus thuringiensis* subsp. israelensis and the herbicide-resistance gene bar in *Synechocystis* PCC 6803. *Curr Microbiol* 21(5):283-288.
- Mitchell GV, Grundel E, Jenkins M, Blakely SR (1990). Effects of graded dietary levels of *Spirulina maxima* on vitamins A and E in male rats. *J Nutr* 120(10):1235-1240.
- Nierzwicki-Bauer SA (1990). Use of *Azolla-Anabaena* in agriculture. In: *Handbook of Symbiotic Cyanobacteria* (AN Rai, ed.). CRC Press Inc., Boca Raton, pp.119-136.
- Thomas SP, Zaritsky A, Boussiba S (1990). Ammonium excretion by an L-methionine-DL-sulfoximine-resistant mutant of the rice field cyanobacterium *Anabaena siamensis*. *Appl Environ Microbiol* 56(11):3499-3504.

=====

ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*A

=====

(All EMail addresses .Bitnet unless otherwise noted)

CONTRIBUTORS

- F.C.Thomas Allnutt Martek Corporation, 6480 Dobbin, Columbia, Maryland 21045 U.S.A. (Tel) 301-740-0081
- Shawn Anderson MSU-DOE Plant Research Laboratory, Michigan State University, East Lansing, MI 48824-1312
- Don Bryant 101 S. Frear, Dept. of Molec. & Cell Biology, Pennsylvania State University, University
- Park, PA 16802 U.S.A. (Tel) 814-865-1992 (EMail) dab14@Psum
- F. Kamilova Institute of Microbiology, Academy of Sciences Uzbek SSR, 7a, Abdulla Kodiri Street,
- Tashkent 700000 U.S.S.R.
- Lucien Hoffmann University of Liège, Department of Botany, Sart Tilman B22, B-4000 Liège BELGIUM
- (Tel) 32-41-563856 (Email) U213101@Bliulg11 (Fax) 32-41-563840
- Duane Moser Dept. of Biology/Microbiology, University of WI-Oshkosh, Oshkosh WI 54901 U.S.A.
- Gregory Patterson Department of Chemistry, 2545 The Mall, University of Hawaii at Manoa, Honolulu, Hawaii
- 96822 U.S.A. (Tel) 808-948-6031 (EMail) Cyano@Uhcux or Cyano@Unix
- Shirley Raps Dept. of Biological Sciences, Hunter College, 695 Park Ave., New York, NY 10021 U.S.A.
- (Tel) 212-772-5281
- Michael Reith Institute for Marine Biosciences, National Research Council, 1411 Oxford St., Halifax,
- N.S. B3H 3Z1 CANADA (Tel) 902-426-8276 (Email) Num249mr@Nrccad.Nrc.Ca (Fax) 902-426-9413
- Rakesh Tuli Molecular Biology & Agriculture Division, Bhabha Atomic Research Centre, Trombay, Bombay
- 400 085 INDIA
- JianHui Zhou 101 S. Frear, Dept. of Molec. & Cell Biology, Pennsylvania State University, University
- Park, PA 16802 U.S.A. (Tel) 814-865-1992

Send CONTRIBUTIONS to one of the addresses listed below. To SUBSCRIBE, send \$8 U.S. (or equivalent in any currency) per year to Jeff Elhai, along with your name, telephone, FAX, and EMail numbers (if any), and a brief description of your research interests for inclusion in the next Directory of Cyanobacteriologists. If it is difficult for you to send hard currency, send a note indicating your interest.

- AUSTRALIA/NEW SEAL./SE.ASIA Steve Delaney Department of Biotechnology, University of New South Wales, P.O. Box 1 Kensington, New South Wales AUSTRALIA 2033
- AUSTRIA Georg Schmetterer Institut fur Physikalische Chemie, Währingerstrasse 42, A-1090 Wien (EMail) a8422dad @ Awium11
- CANADA Neil Strauss Dept. of Botany, University of Toronto Toronto, Ontario M5S 1A1
- P.R.CHINA Shang-Hao Li Laboratory of Phycology, Institute of Hydrobiology, Academia Sinica, Wuhan
- CZECHOSLOV. Jiri Komarek Institute of Botany, CAS Dept. of Hydrobotany, Dukelske 145, CS-37982 Trebon
- FRANCE Nicole Tandeau de Marsac Physiologie Microbienne, Institut Pasteur, 29 rue du Dr. Roux, 75724 Paris Cedex 15. (EMail) Cyano @ Pasteur
- GERMANY Wolfgang Lockau Institut für Botanik, Universität, Universitätsstr. 31, 8400 Regensburg
- J.-G. Kohl Section Biology at Humboldt University, Department Ecology, Invalidenstrasse 43, Berlin 1040
- INDIA Joe Thomas Biotechnology Division, SPIC Science Foundation, 110 Mount Road, Madras 600 032
- ISRAEL Elisha Tel-Or Dept. of Agricultural Botany, The Hebrew University, Rehovot 76100
- ITALY Mario Tredici Centro di Studio dei Microorganismi Autotrof. (C.N.R.), P.le. delle Cascine 27 51044 Firenze
- NETHERLANDS Luuc Mur Laboratorium voor Microbiologie, Universiteit voor Amsterdam, Nieuwe Achtergracht 127, 1018 WS Amsterdam
- SCANDANAVIA Olav Skulberg Norwegian Institute for Water Research, P.O.box 69 Korsvall, N-0808 Oslo & NORWAY
- U.K. Tony Walsby Dept. of Botany, University of Bristol, Bristol BS8 1UG
- ANYWHERE ELSE Jeff Elhai MSU-DOE Plant Research Laboratory, Michigan State University, East Lansing MI 48824-1312, U.S.A. (EMail) Cyano@MSU.Bitnet or Cyano@MSU.Edu (FAX) 517-353-9168