

CYANONEWS

Volume 8 Number 1

February 1992

CYANONEWS - a newsletter intended to provide cyanobacteriologists with a forum for rapid informal communication, unavailable through journals. Everything you read in this newsletter is contributed by readers like yourself. Published occasionally, about three times per year.

SUBSCRIPTIONS - \$10 or equivalent/year. (See address label for expiration date)

CONTRIBUTIONS - Expected every couple of years: a new result, an upcoming meeting or a summary of a past meeting, a post-doctoral opening, a new publication, a request for strains, a change of life... something. See last page for addresses you can send news to.

HOW TO FIND OUT MORE ABOUT SOMETHING YOU READ HERE - Contact the person whose name is capitalized in the news item. Addresses are given at the end of the issue. Also, a Directory of Cyanobacteriologists is distributed every two years.

INSTRUCTIONS TO AUTHORS - Send news.

COPYRIGHT - This newsletter is not copyrighted and no rights are reserved. You are encouraged to reproduce or to transmit any part of this publication by whatever means at your disposal, no permission required.

NEWS

- * *Synechococcus* R2 has a clock
- * DNA polymerase purified and characterized
- * New nomenclature of heterocyst phenotypes
- * New toxins
 - How *Oscillatoria* neurotoxin works
 - Screen of *Microcystis* isolates
 - Killer *Bacillus* volatile identified
- * New plasmids
 - *sacB* vector to facilitate gene replacement
 - Anti-AvaIII to facilitate conjugal transfer

PERSPECTIVE

- * Chloroplasts, Prochlorophytes - What are they?

MEETING ANNOUNCEMENTS

POSITIONS SOUGHT AND OFFERED

LATEST REFERENCES

BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD

The AFRC Robert Hill SYMPOSIUM ON PHOTOSYNTHESIS will be held at Imperial College, London March 30 to April 1, 1992. General Topics for discussion include: membrane complexes, light induced damage to PS II, photoinhibition and environmental constraints, and carbon regulation. Deadline for registration is March 6. Contact:

Jim Barber, Biochemistry Department, Imperial College of Science, Technology and Medicine, London SW7 2AY, U.K. (Tel) 071 581 1316 (FAX) 071 581 1317 (EMail) Umhc024@Vaxa.Cc.Imperial.Ac.Uk

An FESPP Workshop on ENVIRONMENTAL FACTORS AFFECTING PHOTOSYSTEM II will be held in Szeged, Hungary, July 5-8, 1992. The workshop will emphasize structural-functional responses to various environmental factors and stress conditions. The conference fee (US\$ 220 or DM 350) includes full board and meals. A limited number of fellowships are available to young scientists. Contact:

Gabor Horvath, Institute of Plant Physiology, Biological Research Center, P.O. Box 521, Szeged, Hungary, H-6701. (Tel) 36-62-23022 ext.169 (FAX) 36-62-13726 or 36-62-23600 (E-Mail) H1520dro@Ella.Hu

There will be an INDUSTRIAL PHYSIOLOGY session at this year's annual meeting of the AMERICAN PHYCOLOGICAL SOCIETY in Honolulu, Hawaii, the first week of August, 1992. Five or six talks are being planned on (more or less) how to make money with algae. JOHN BENEMANN will chair the session.

The 1993 CYANOBACTERIAL WORKSHOP will take place at the Asilomar Conference Center in Pacific Grove, California. The Workshop will run from Sunday (May 30) to Tuesday (June 2), coinciding with the Memorial Day weekend. Unfortunately, it was not possible to get dates in July. Detailed information regarding the beautiful Asilomar Conference Center, registration, travel, accommodations, etc. will follow in a later newsletter. Contact:

Arthur Grossman or Michael Schaefer, Carnegie Institution, Department of Plant Biology, 290 Panama Street, Stanford, CA 94305-1297 (Tel) 415-325-1521 (FAX) 415-325-6857 (EMail) Schaefer@Popserv.Stanford.Edu

PILL-SOON SONG needs 10 kg of SPIRULINA algae from Texcoco in Mexico. Unfortunately, their minimum shipment is 100 kg, which costs over a thousand dollars. If you would like to purchase any of the extra algae at \$20.00 per kg, please let him know. Contact:

Pill-Soon Song, Department of Chemistry, University of Nebraska, Lincoln, Nebraska USA. (FAX) 402-472-2044 (E-Mail) Pandp@Unl.Edu or Pandp@Unlinfo.Unl.Edu

There will be a special issue of the Journal of Luminescence devoted to LUMINESCENCE STUDIES OF PHOTOSYNTHESIS. The issue will appear in volume 51 or 52 and should be published in March or April 1992. Papers in the issue report studies of fluorescence properties of carotenoids, phycobiliproteins, and chlorophyll.

The PROCEEDINGS OF THE FIFTH INTERNATIONAL SYMPOSIUM ON NITROGEN FIXATION WITH NON-LEGUMES (Florence, Sept 1990) are now available from the publisher. The book collects contributions of 65 lectures and 87 posters (of which 20 lectures and 23 posters concern cyanobacteria). A wide range of topics are covered, of both theoretical and practical interest, with particular emphasis on the *Anabaena-Azolla* symbiosis. Contact:

Kluwer Academic Publishers, P.O. Box 17, 3300 AA Dordrecht, THE NETHERLANDS

The Internationale Revue der gesamten Hydrobiologie has published a special issue, Volume 76 Number 1 (1991), devoted to INTERACTIONS BETWEEN ZOOPLANKTON AND CYANOBACTERIA.

POST-DOC POSITION AVAILABLE

CONTACT: Larry Orr, Program Coordinator, Center for the Study of Early Events on Photosynthesis, Arizona State University, Tempe AZ 85287-1604, USA; (Tel) 602-965-1963 (FAX) 602-965-2747 (E-Mail) Photosyn@Asucps.Bitnet or Photosyn@Asucp1.La.Asu.Edu

RESEARCH: Mutational analysis of photosynthetic reaction centers from algae, cyanobacteria, and green and purple bacteria; design and synthesis of biomimetic systems; photosystem analysis by optical, X-ray, and EPR spectroscopy.

SUBMIT: A curriculum vitae and an application letter detailing research interests.

POSITIONS SOUGHT

APPLICANT: Ajay K. Vachhani, B.N.F., Molecular Biology and Agriculture Division, Bhabha Atomic Research Centre, Trombay, Bombay, 400 085 INDIA. (FAX) 91 22 6400128 (E-Mail) Nan@Tifrvax.Bitnet

EDUCATION: Ph.D. 1991, U. Bombay. Thesis - "Studies on the molecular genetics of nitrogen fixing cyanobacteria".

ACHIEVEMENTS: Development of a shuttle vector system for the filamentous nonheterocystous cyanobacterium *Plectonema boryanum*. Two research papers are being prepared for submission.

EXPERIENCE: Six years experience in standard molecular biological techniques, including DNA sequencing.

APPLICANT: Igor Brown, Head - Cyanobacterial Biology Research Laboratory, Odessa State University, Petr Velikiy Str.2, Odessa 270100 Ukraine. (Tel-lab) 007-0482-68-77-93 (Tel-home) 007-0482-23-20-80 (FAX) 007-0482-23-82-88 (E-Mail) Telinf@Node.Ias.Msk.Su [CV available from I.B. by E-Mail or from Jeff Elhai (see last page of newsletter)]

EDUCATION: Ph.D. 1981, Moscow State University, Moscow, Biochemistry. Thesis Advisor: V.P. Skulachev. Thesis Title: "Stabilization of bacteria energetic by sodium and potassium gradient".

RESEARCH GOALS: The study of the role of sodium in coupling photosynthetic processes. In particular, the identification of enzymes operating as the primary Na⁺-pumps in cyanobacterial membranes and the determination of the chain of events linking light absorption to the generation of $\Delta\mu_{Na}$ in halo- and alkalotolerant cyanobacteria.

SELECTED REFERENCES: Brown et al (1983) Eur J Biochem 134:345-349; Brown et al (1990) Arch Microbiol 153:409-411; Brown et al (1990) FEBS Lett 270:203-206

REQUIREMENTS: Research position ideally for 3 - 5 years.

START: As soon as possible.

NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS

JOHN WRIGHT and Chris Linton have chemically identified the compound found in volatile products from *Bacillus* spp. primarily responsible for the previously described lysis of cyanobacteria by these bacteria [FEMS Microbiol Lett (1985) 30:263-267]. Isoamyl alcohol (3-methyl-1-butanol) is the prime anti-cyanobacterial compound in a complex mixture of volatile products of peptone catabolism [Lett Appl Microbiol (1991) 13:130-132]. They have also described the sequence of cytotoxic events leading to cell lysis.

YUPING CAI announces a second generation of vectors to facilitate site-directed mutagenesis in *Anabaena* PCC 7120. Three plasmids, pRL271 (Cm^r, Em^r), pRL277 (Sm^r/Sp^r), and pRL278 (Km^r/Nm^r), take advantage of the conditional lethality of *sacB*-encoded levansucrase, permitting selection for double recombinants [Cai & Wolk (1990) *J Bacteriol* 172:3138-3145]. The three plasmids, identical except for their antibiotic resistance determinants, contain *sacB*, *oriV* from pMB1/pBR322 (functional for replication in *E. coli* but not *Anabaena*), *oriT* from pMB1/pBR322 (required for conjugal transfer), and a cloning region with many unique restriction sites. For the moment, a detailed description of components of these plasmids are published only in his Ph.D. thesis, excerpts from which (and of course the plasmids!) are available upon request.

JEFF ELHAI has constructed a new helper plasmid, pRL623, to aid in the conjugation of DNA into cyanobacteria possessing *AvaIII* restriction activity. The efficiency of transfer of DNA into *Anabaena* PCC 7120 is significantly impaired by the presence on the DNA of unprotected restriction sites for *AvaI* and *AvaII* [Elhai & Wolk (1988) *Methods Enzymol* 167:747-754]. Premethylation in *E. coli* with the helper plasmid pRL528 solves this problem. *Anabaena* PCC 7120 also contains an isoschizomer of *AvaIII*, however, and so a methylase that protects against restriction by the enzyme was added to pRL528 to form pRL623. The new plasmid now protects against all three known restriction activities of the strain.

MECHANISM OF NEUROTOXIN FROM OSCILLATORIA STUDIED

OLAV SKULBERG and coworkers (G Lilleheil, RA Andersen, and J Alexander) have shared some recent results concerning the mechanism of action of homoanatoxin, a neurotoxin produced by a strain of *Oscillatoria formosa*, a cosmopolitan freshwater species. The toxin is a secondary amine alkaloid, recognized as methylene-anatoxin-a, which has been shown to be toxic to mice after intraperitoneal injection (LD₅₀ = 250 µg/kg) and to block neuromuscular transmission in an isolated phrenic nerve-hemidiaphragm preparation of rat at a concentration of about 3.75 µg/ml organ bath fluid [Skulberg et al (1991), *Environ Toxicol Chem* (in press)]. A water extract of freeze-dried algal material containing the toxic principle (at about 1%, dry weight) was used to study the mechanism of action of the toxin.

The extract did not affect the initiation, propagation, or amplitude of electrically-induced compound action potentials recorded from the main phrenic nerve trunk. Furthermore, both single twitch and tetanic muscle contractions could still be elicited by direct electrical stimulation of the muscle even after the toxin had abolished nerve-initiated contractions. The amplitudes of the directly elicited muscle responses gradually declined after exposure to the extract. The observed effects of the homoanatoxin extract on neuromuscular transmission was only partly reversible, the degree of reversibility depending on the duration of exposure to toxin. The effects of the extract and curare were additive.

The results can be explained in two ways. First, the main action of homoanatoxin on neuromuscular transmission may be to prevent the muscle from responding to the transmitter acetylcholine (ACh), perhaps (like its structural analog anatoxin-a) by blocking ACh receptors. Alternatively, the toxin may interfere with presynaptic processes leading to decreased liberation of ACh. An additional direct effect on voltage-initiated processes of the muscle is also possible. Further studies aimed at disclosing effects of homoanatoxin on membrane potential, end-plate potentials, and mini-end-plate potentials in single muscle fibers are in progress.

SYNECHOCOCCUS PCC 7942 EXHIBITS CIRCADIAN RHYTHM

SUSAN GOLDEN tells us the remarkable news that we have had a transformable cyanobacterium capable of circadian rhythm in our midsts for years. She and Carl Strayer, in collaboration with Carl Johnson and Takao Kondo, used a *psbAI::luxAB* transcriptional fusion to measure the expression of *psbAI* in a culture of *Synechococcus* PCC 7942 (also known as R2) that had been entrained to a 12 hr light/12 hr dark cycle. The bioluminescence activity of luciferase (encoded by *luxAB*) rose and fell with a period of approximately 24 hr, even after the entrained culture was shifted to continuous light. Reversing the light and dark periods resulted in shifting the peak time of expression by 12 hours. Preliminary experiments at various temperatures indicate that the period is nearly invariant, which suggests that the rhythm is temperature-compensated — a salient feature of circadian clocks. Analysis of additional gene-*luxAB* fusions, in progress, may soon tell us whether *psbAI* is peculiar in its rhythmicity of expression or instead the transcription machinery itself is responding to a clock.

NEW PROPOSED NOMENCLATURE FOR HETEROCYST DIFFERENTIATION

The diversity of phenotypes observed when studying transposon-induced mutants of *Anabaena* PCC 7120 prompted ANNELIESE ERNST to seek order amidst the chaos. As a result, she has defined certain characteristics that are useful in describing mutants selected for their inability to grow on molecular nitrogen. Since they may prove to be of general utility, she passes them on to us for our consideration:

YUPING CAI, inspired by this new phenotypic order, suggests corresponding changes in genotype designation. He points out that the increased activity in obtaining mutants defective in heterocyst differentiation may lead to a scarcity of available letters to place after the gene designation *het*. He proposes that usage of "*het*" be confined to those genes required for any obvious differentiation towards heterocysts. Genes leading to failure to differentiate by reason of severe fragmentation of the filaments upon removal of fixed nitrogen [Buikema & Haselkorn (1991) *J Bacteriol* 173:1879-1885] are to be considered a special class. Yuping suggests the designation "*fra*" for genes conferring this phenotype. According to this definition, *hetR* [Buikema & Haselkorn (1991) *Genes & Develop* 5:321-330], which is required for initiation of heterocyst differentiation is properly named, but *hetA* [Holland & Wolk (1990) *J Bacteriol* 172:3131-3137] and *hetB* [Bancroft et al (1989) *J Bacteriol* 171:5940-5948], which are required for proper formation of the heterocyst envelope, are not. He and others in Peter Wolk's lab have named five genes, *hetC*, *hetN*, *hetP*, *fraA*, and *fraB* in accordance with the proposed convention.

Fox	Unable to <u>fix</u> nitrogen in presence of <u>oxygen</u>
Fix	Unable to <u>fix</u> nitrogen, whether under aerobic or anaerobic conditions
Het	Unable to form either <u>heterocysts</u> or <u>proheterocysts</u> discernible by bright-field microscopy
Hen	Immature or aberrant <u>heterocyst envelope</u> or pore structure
Hgl	Defective in synthesis of <u>heterocyst glycolipids</u>
Hep	Defective in synthesis of <u>heterocyst polysaccharides</u>
Dab	Unable to strongly oxidize <u>diaminobenzidine</u>

Any discussion on these matters is welcome, with the goal of achieving a coherent nomenclature without duplications.

CYANOBACTERIAL DNA POLYMERASES PURIFIED, CHARACTERIZED

NV NESTEROVA tells us of the isolation and partial purification of two DNA- polymerases from *Plectonema boryanum* Gom CALU 465 by herself, MI Mendzul, and SN Sukhanov. Lysates from cells broken with KCl and triton X-100 were precipitated with polyethyleneglycol (MW 6000) and subjected to chromatography on DEAE cellulose DE-52 and hydroxyapatite. Electrophoresis in a non- denaturing polyacrylamide gel permitted separation of two proteins with high DNA-polymerase activity, with molecular weights of 120 and 200-300 kDal. The two forms have similar activity profiles with regard to pH (8.5-9.0) and temperature (42-43 °C) but differ in their requirements for monovalent and divalent cations and their sensitivity to afidicoline, nalidixic acid, and spermidine. Manganous ions in the range of 35 mM to 60 mM specifically caused the 70- to 90-fold superactivation of both forms of DNA polymerase.

HEPATOTOXINS ANALYZED FROM COLLECTED CYANOBACTERIA

VLADIMIR THERNAJENKO brings us up to date on his work on toxic cyanobacteria. He has collected and purified cyanobacterial strains, including hepatotoxic *Microcystis aeruginosa*, collected from several bodies of water: Kiev reservoir, Ladoga lake, Razliv lake, the Gulf of Finland, Kursh Gulf, and a few small lakes in the St. Petersburg area. In some cases, hepatotoxic material from blooms was also collected. No neurotoxic blooms were discovered. Toxins were purified (in collaboration with Wayne Carmichael) from the hepatotoxic material and strains cultured in the laboratory, and it was found that each sample contained one to five distinct hepatotoxins. His most pressing concern now is to develop a monitoring system for cyanotoxicity based on analytical HPLC and immunological detection.

ALEXANDER PINEVICH sends greetings from the former Soviet Union (Russia), former Leningrad (St. Petersburg), and former Leningrad University (St. Petersburg University) with a summary of recent work on former blue-green algae (cyanobacteria) that has appeared thus far only in Russian language publications. He reports:

1. A demonstration that thylakoids are compartmentalized in specialized phases, being both the result and the cause of the ΔpH [Pinevich & Topchieva (1991). *Microbiol* 60:512-517; Pinevich & Protasov (1991). *Proc Leningrad U Ser Biol* 1:77-84].
2. Indications that the cyanobacterial PSI antenna has an analogous structure as that of anoxy-phototrophs, having a core and peripheral part [Pinevich & Koshina (1991). *Proc Leningrad U Ser Biol* 3:84-95].
3. A detailed hypothesis regarding the evolution of the light-harvesting antennae and argues for a revised phylogeny for oxygenic phototrophs, including cyanobacteria, prochlorobacteria, cyanelles, and rhodochloro- chromoplasts [Pinevich (1991). *Cytol* 33:3-21].
4. The isolation and preliminary description of a unicellular mutant of the filamentous cyanobacterium, *Anabaena* PCC 7118, with comments on the evolution of cyanobacterial morphotype [Khudyakov & Pinevich (1991). *Microbiol* in press].
5. A demonstration by means of DAPI epifluorescence that DNA may be associated with cyanobacterial carboxysomes in vivo [Pinevich & Grigoryeva, in preparation].
6. An analysis of a couple of cyanobacterial strains extremely rich in phycoerythrin [Pinevich et al, in preparation].

PERSPECTIVE:

THE PHYLOGENETIC RELATIONSHIP BETWEEN PROCHLOROPHYTES AND CHLOROPLASTS

With the discovery of *Prochloron didemni*, an oxygenic, phototrophic prokaryote containing chlorophylls a and b, it was generally thought that the "missing link" between green chloroplasts and prokaryotes had been found [Lewin & Withers (1975) *Nature* 261:697-698; Raven (1970) *Science* 169:641-646]. Comparison of an RNaseT1-generated 16S rRNA oligonucleotide catalogue from this organism with those of cyanobacteria and green chloroplasts did not support this hypothesis, however, although interpretation of the data was a matter of some debate [Seewaldt & Stackebrandt (1982) *Nature* 295:618-620; Van Valen (1982) *Nature* 298:493-494; Bremer & Bremer (1989) *J Evol Biol* 2:13-30]. Further study of this organism was hampered by its intractability to cultivation under laboratory conditions and to date it is still found only as an exosymbiont of didemnid ascidians. Thus, the discovery of a second prochlorophyte, *Prochlorothrix hollandica*, that is easily cultured in vitro raised expectations for a resolution to the question of the relationship between prokaryotes of this phenotype and green chloroplasts [Burger-Wiersma et al. (1986) *Nature* 320:262-264]. Such was not the case.

In contiguous papers, Turner et al. [(1989) *Nature* 337:380-382] and Morden and Golden [(1989) *Nature* 337:382-385, 339:400] presented analyses of molecular sequence data for different gene products of *P. hollandica* and arrived at contradictory conclusions. Turner et al. used a weighted least squares distance matrix method to analyze partial sequences of 16S rRNAs and concluded that although both *P. hollandica* and green chloroplasts fall within the cyanobacterial line of descent, they do not form a monophyletic group. Morden and Golden used a maximum parsimony analysis of protein sequences deduced from gene sequence data for the *psbA* locus that encodes the D1 protein of photosystem II. Depending on the weight assigned to a gap seven amino acids in length shared by green chloroplasts and *P. hollandica*, their results either support those of Turner et al. or lead to the opposite conclusion. A maximum likelihood analysis [Kishino et al. (1990) *J Mol Evol* 31:151-160] of the same data used by Morden and Golden was in concordance with the results of Turner et al., but again the weight assigned to the gap was pivotal.

Subsequently, Morden and Golden published maximum parsimony analyses of deduced protein sequences derived from gene sequence data for the large and small subunits of ribulose-1,5-bisphosphate carboxylase/oxygenase [Morden & Golden (1991) *J Mol Evol* 32:379-395]. In this study, phylogenetic tree inferences indicated that *P. hollandica* is not a close relative of the green chloroplasts to the exclusion of the cyanobacteria.

At a recent colloquium held at Bodega Bay, California (Symbiogenesis, Prochlorophytes, and the Origins of Plastids, 5-7 September 1991) evidence was presented from two laboratories that indicates that not only are prochlorophytes and green chloroplasts not monophyletic, but the prochlorophytes themselves do not form a distinct clade. Ena Urbach et al used distance matrix and maximum parsimony methods to analyze the phylogenetic relationships inferred from 16S rRNA sequence data for *P. hollandica*, *Prochloron* sp., and the most recently discovered prochlorophyte, *Prochlorococcus marinus* [Chisholm et al (1988) *Nature* 334:340-343]. Brian Palenik

and Robert Haselkorn conducted similar studies on partial sequence data for the *rpoC1* gene that encodes a subunit of DNA-dependent RNA polymerase homologous to the γ subunit of cyanobacterial RNA polymerases. The work of these groups is to be presented in a forthcoming issue of Nature.

At present, then, the majority of the molecular sequence comparisons do not support a close phylogenetic relationship between green chloroplasts and prochlorophytes. The acquisition of chlorophyll b appears to have evolved independently at least three times and/or to have been mediated by lateral genetic transfer.

- Sean Turner

REFERENCES*REFERENCES*REFERENCES*REFERENCES*S*REFERENCES*REFERENCES*REFER

EVOLUTION and SYSTEMATICS

- Copertino DW, Christopher DA, Hallick RB (1991). A mixed group II/group III twintron in the *Euglena gracilis* chloroplast ribosomal protein S3 gene: evidence for intron insertion during gene evolution. *Nucl Acids Res* 19:6491-6497.
- Douglas SE, Turner S (1991). Molecular evidence for the origin of plastids from a cyanobacterium-like ancestor. *J Mol Evol* 33(3):267-273.
- Ligon PJB, Meyer KG, Martin JA, Curtis SE (1991). Nucleotide sequence of a 16S rRNA gene from *Anabaena* sp. strain PCC 7120. *Nucleic Acids Res* 19(16):4553-4553.
- Pinevich AV (1991). Evolution of light-harvesting antennae and phylogeny of oxygenic phototrophs [Russ with Engl abstr]. *Cytol* 33:3-21.
- Ye L, Li Y, Fukami-Kobayashi K, Konishi T, Watanabe A, Sugiura M (1991). Diversity of a ribonucleoprotein family in tobacco chloroplasts: two new chloroplast ribonucleoproteins and a phylogenetic tree of ten chloroplast RNA-binding domains. *Nucl Acids Res* 19:6485-6490.

ECOLOGY

- Carpenter EJ, Romans K (1991). Major role of the cyanobacterium *Trichodesmium* in nutrient cycling in the North Atlantic Ocean. *Science* 254(5036):1356-1358.
- Castenholz RW, Jorgensen BB, D'Amelio E, Bauld J (1991). Photosynthetic and behavioral versatility of the cyanobacterium *Oscillatoria boryana* in a sulfide-rich microbial mat. *FEMS Microbiol Ecol* 86(1):43-58.
- Fulton RS III, Jones RC (1991). Growth and reproductive responses of *Daphnia* to cyanobacterial blooms on the Potomac river. *Int Revue ges Hydrobiol* 76:5-19.
- Hanazato T (1991). Interrelations between *Microcystis* and *Cladocera* in the highly eutrophic Lake Kasumigaura, Japan. *Int Revue ges Hydrobiol* 76:21-35.
- Kohl J-G, Lampert W (1991). Interactions between zooplankton and blue-green algae (cyanobacteria). *Int Revue ges Hydrobiol* 76:1-3.
- Lindholm T (1991). Toxic cyanobacteria in Finnish lakes. *Rep Suwa Hydrobiol* 7:65-72.
- Lindholm T, Eriksson JE (1990). Factors regulating primary productivity in a eutrophic lake with blooms of *Microcystis*. *Verh Internat Verein Limnol* 24:657-661.
- Lindholm T, Meriluoto JAO (1991). Recurrent depth maxima of the hepatotoxic cyanobacterium *Oscillatoria agardhii*. *Can J Fish Aquat Sci* 48:1629-1634.
- Mir J, Martinez-Alonso M, Esteve I, Guerrero R (1991). Vertical stratification and microbial assemblage of a microbial mat in the Ebro Delta (Spain). *FEMS Microbiol Ecol* 86(1):59-68.
- Pechar L, Fott J (1991). On the occurrence of *Aphanizomenon flos-aquae* var. *flos-aquae* in fish ponds. *Int Revue ges Hydrobiol* 76:57-65.
- Rothaupt K-O (1991). The influence of toxic and filamentous blue-green algae on feeding and population growth of the rotifer *Brachionus rubens*. *Int Revue ges Hydrobiol* 76:67-71.
- Villbrandt M, Krumbein WE, Stal LJ (1991). Diurnal and seasonal variations of nitrogen fixation and photosynthesis in cyanobacterial mats. *Plant Soil* 137(1):13-16.

SYMBIOSIS

- Canini A, Galiano F, Rotilio G, Grilli Caiola M (1991). Superoxide dismutase in the symbiont *Anabaena azollae* Strass. *Plant Physiol* 97(1):34-40.
- Carrapico F (1991). Are bacteria the third partner of the *Azolla-Anabaena* symbiosis?. *Plant Soil* 137(1):157-160.
- Forni C, Tel-Or E, Bar E, Caiola MG (1991). Effects of antibiotic treatments on *Azolla-Anabaena* and *Arthrobacter*. *Plant Soil* 137(1):151-155.
- Kitoh S, Shiomi N, Uheda E (1991). Disappearance of symbiotic algae in the *Azolla-Anabaena* association subjected to transitory exposure to ammonium. *Soil Sci Plant Nutr* 37:323-329.
- Kluge M, Mollenhauer D, Mollenhauer R (1991). Photosynthetic carbon assimilation in *Geosiphon pyriforme* (Kuetzing) F. v. Wettstein, an endosymbiotic association of fungus and cyanobacterium. *Planta* 185(3):311-315.
- Lindblad P, Bergman B, Nierzwicki-Bauer SA (1991). Immunocytochemical localization of nitrogenase in bacteria symbiotically associated with *Azolla* spp. *Appl Environ Microbiol* 57:3637-3640.
- Nierzwicki-Bauer SA, Aulfinger H (1991). Occurrence and ultrastructural characterization of bacteria in association with and isolated from *Azolla caroliniana*. *Appl Environ Microbiol* 57:3629-3636.
- Peters GA (1991). *Azolla* and other plant-cyanobacteria symbioses: Aspects of form and function. *Plant Soil* 137(1):25-36.

- Prakasham R, Rai AN (1991). Evidence for the occurrence of a specific methylammonium transport system in the cultured cyanobiont of the *Anthoceros punctatus*-*Nostoc* association. *J Gen Microbiol* 137(8):1783-1788.
- Steinberg NA, Meeks JC (1991). Physiological sources of reductant for nitrogen fixation activity in *Nostoc* sp. strain UCD 7801 in symbiotic association with *Anthoceros punctatus*. *J Bacteriol* 173(22):7324-7329.
- Zimmerman WJ, Watanabe I, Lumpkin TA (1991). The *Anabaena*-*Azolla* symbiosis: Diversity and relatedness of neotropical host taxa. *Plant Soil* 137(1):167-170.

TOXINS and NATURAL SUBSTANCES

- Bonjouklian R, Smitka TA, Doolin LE, Molloy RM, Debono M, Shaffer SA, Moore RE, Stewart JB, Patterson GML (1991). Tjipanazoles, new antifungal agents from the blue-green alga *Tolypothrix tjipanansensis*. *Tetrahedron* 47(37):7739-7750.
- Hodder AR, Capon RJ (1991). A new brominated biindole from an Australian cyanobacterium, *Rivularia firma*. *J Nat Prod* 54(6):1661-1663.
- Hodder AR, Capon RJ (1991). A novel brominated lipid from an Australian cyanobacterium, *Lyngbya* sp. *J Nat Prod* 54(6):1668-1671.
- Jung JH, Moore RE, Patterson GML (1991). Scytophycins from a blue-green alga belonging to the *Nostocaceae*. *Phytochemistry* 30(11):3615-3616.
- Kozikowski AP, Shum PW, Basu A, Lazo JS (1991). Synthesis of structural analogues of lyngbyatoxin A and their evaluation as activators of protein kinase C. *J Med Chem* 34(8):2420-2430.
- Muratake H, Okabe K, Natsume M (1991). Synthesis of teleocidins A, B and their congeners. Part 2. Synthesis of lyngbyatoxin A (teleocidin A-1), teleocidin A-2, pendolmycin, and (R, E)- and (S, E)-7-(3, 7, 11-trimethyl-1, 6, 10-dodecatri n-3-yl)-(-)-indolactams V. *Tetrahedron* 47(40):8545-8558.
- Skulberg OM, Carmichael WW, Andersen RA, Matsunga S, Moore RE, Skulberg R (1991). Investigations of a neurotoxic oscillatoriacean strain (Cyanophyceae) and its toxin. Isolation and characterization of homoanatoxin-a. *Environ Toxicol Chem* (in press).
- Henning M, Hertel H, Wall H, Kohl J-G (1991). Strain-specific influence of *Microcystis aeruginosa* on food ingestion and assimilation of some cladocerans and copepods. *Int Revue ges Hydrobiol* 76:37-45.
- Hermansky SJ, Stohs SJ, Eldeen ZM, Roche VF, Mereish KA (1991). Evaluation of potential chemoprotectants against microcystin-LR hepatotoxicity in mice. *J Appl Toxicol* 11(1):65-74.
- Honkanen RE, Dukelow M, Zwiller J, Moore RE, Khatra BS, Boynton AL (1991). Cyanobacterial nodularin is a potent inhibitor of type 1 and type 2A protein phosphatases. *Mol Pharmacol* 40(4):577-583.
- Jungmann D, Henning M, Jüttner (1991). Are the same *Microcystis* compounds responsible for toxicity to *Daphnia* and inhibition of its filtering?. *Int Revue ges Hydrobiol* 76:47-55.
- Petrov AG, Ramsey RL, Codd GA, Usherwood PNR (1991). Modelling mechanosensitivity in membranes: Effects of lateral tension on ionic pores in a microcystin toxin-containing membrane. *Eur Biophys J* 20(1):17-29.
- Prinsep MR, Caplan FR, Moore RE, Patterson GML, Smith CD (1992). Tolyporphin, a novel multidrug resistance reversing agent from the blue-green alga *Tolypothrix nodosa*. *J Am Chem Soc* 114(1):385-387.
- Robinson CP, Franz DR, Bondura ME (1991). Effects of lyngbyatoxin A from the blue-green alga *Lyngbya majuscula* on rabbit aorta contractions. *Toxicol* 29(8):1009-1017.
- Soong FS, Maynard E, Kirke K, Luke C (1992). Illness associated with blue-green algae. *Med J Aust* 156(1):67-67.
- Southcott RV (1992). Illness associated with blue-green algae. *Comment. Med J Aust* 156(1):67-67.
- Xu Z, Burns CW (1991). Development, growth and survivorship of juvenile calanoid copepods on diets of cyanobacteria and algae. *Int Revue ges Hydrobiol* 76:73-87.

PHYSIOLOGY and METABOLISM

- Fruend C, Cohen Y (1992). Diurnal cycles of sulfate reduction under oxic conditions in cyanobacterial mats. *Appl Environ Microbiol* 58(1):70-77.
- Kang CBH, Ho KK (1991). Characterization of a soluble inorganic pyrophosphatase from *Microcystis aeruginosa* and preparation of its antibody. *Arch Biochem Biophys* 289(2):281-288.
- Sakamoto T, Murata N, Ohmori M (1991). The concentration of cyclic AMP and adenylate cyclase activity in cyanobacteria. *Plant Cell Physiol* 32(4):581-584.
- Schneider S, Juergens UJ (1991). Cell wall and sheath constituents of the cyanobacterium *Gloeobacter violaceus*. *Arch Microbiol* 156(4):312-318.
- Wright SJL, Linton CJ, Edwards RA, Drury E (1991). Isoamyl alcohol (3-methyl-1-butanol), a volatile anticyanobacterial and phytotoxic product of some *Bacillus* spp. *Lett Appl Microbiol* 13:130-132.
- Luo Y-H, Sternberg L, Suda S, Kumazawa S, Mitsui A (1991). Extremely low D/H ratios of photoproduced hydrogen by cyanobacteria. *Plant Cell Physiol* 32(6):897-900.
- Margheri MC, Tredici MR, Allotta G, Vagnoli L (1991). Heterotrophic metabolism and regulation of uptake hydrogenase activity in symbiotic cyanobacteria. *Plant Soil* 137(1):139-144.

STRESS RESPONSES

- Hershkovitz N, Oren A, Post A, Cohen Y (1991). Induction of water-stress proteins in cyanobacteria exposed to matrix- or osmotic-water stress. *FEMS Microbiol Lett* 83(2):169-172.
- Gabbay-Azaria R, Schonfeld M, Tel-Or S, Messinger R, Tel-Or E (1992). Respiratory activity in the marine cyanobacterium *Spirulina subsalsa* and its role in salt tolerance. *Arch Microbiol* 157:183-190.
- Singh DV, Tripathi AK, Kumar HD (1991). Isolation and characterization of salinity resistant mutant of a nitrogen-fixing cyanobacterium, *Anabaena doliolum*. *J Appl Bacteriol* 71(3):207-210.
- Takeyama H, Burgess JG, Sudo H, Sode K, Matsunaga T (1991). Salinity-dependent copy number increase of a marine cyanobacterial endogenous plasmid. *FEMS Microbiol Lett* 90(1):95-98.

- Walsby AE (1991). The mechanical properties of the *Microcystis* gas vesicle. *J Gen Microbiol* 137(10):2401-2408.
- Husaini Y, Rai LC (1991). Studies on nitrogen and phosphorus metabolism and the photosynthetic electron transport system of *Nostoc linckia* under cadmium stress. *J Plant Physiol* 138(4):429-435.
- Mittler R, Tel-Or E (1991). Oxidative stress responses in the unicellular cyanobacterium *Synechococcus* PCC 7942. *Free Radic Res Commun* 12-13 PT 2:845-850.
- Mushrifah I, Peterson PJ (1991). Uptake and accumulation of cadmium and tin to the insoluble fractions of *Anabaena flos-aquae*. *Biomed Lett* 46(183):189-198.
- Pandey PK, Singh CB, Singh SP (1992). Cu uptake in a cyanobacterium: Fate of selected photochemical reactions. *Curr Microbiol* 24(1):35-39.
- Prasad SM, Singh JB, Rai LC, Kumar HD (1991). Metal-induced inhibition of photosynthetic electron transport chain of the cyanobacterium *Nostoc muscorum*. *FEMS Microbiol Lett* 82(1):95-100.
- Sato N (1992). Cloning of a low-temperature-induced gene *lit2* from the cyanobacterium *Anabaena variabilis* M3 that is homologous to α -amylases. *Plant Mol Biol* 18:165-170.
- Shibata H, Baba K, Ochiai H (1991). Near-UV irradiation induces shock proteins in *Anacystis nidulans* R-2; Possible role of active oxygen. *Plant Cell Physiol* 32(6):771-776.
- Verma SK, Singh HN (1991). Evidence for energy-dependent copper efflux as a mechanism of Cu^{2+} resistance in the cyanobacterium *Nostoc calcicola*. *FEMS Microbiol Lett* 84(3):291-294.

NITROGEN METABOLISM and DIFFERENTIATION

- Fujita Y, Takahashi Y, Shonai F, Ogura Y, Matsubara H (1991). Cloning, nucleotide sequences and differential expression of the *nifH* and *nifH*-like (*fixC*) genes from the filamentous nitrogen-fixing cyanobacterium *Plectonema boryanum*. *Plant Cell Physiol* 32(7):1093-1106.
- Grobbelaar N, Li W-T, Huang T-C (1991). Relationship between the nitrogenase activity and dark respiration rate of *Synechococcus* RF-1. *FEMS Microbiol Lett* 83(1):99-102.
- Martin-Nieto J, Herrero A, Flores E (1991). Control of nitrogenase mRNA levels by products of nitrate assimilation in the cyanobacterium *Anabaena* sp. strain PCC 7120. *Plant Physiol* 97(2):825-828.
- Ohki K, Zehr JP, Falkowski PG, Fujita Y (1991). Regulation of nitrogen-fixation by different nitrogen sources in the marine non-heterocystous cyanobacterium *Trichodesmium* sp. NIBB1067. *Arch Microbiol* 156(5):335-337.
- Ortega-Calvo J-F, Stal LJ (1991). Diazotrophic growth of the unicellular cyanobacterium *Gloeotheca* sp. PCC 6909 in continuous culture. *J Gen Microbiol* 137(8):1789-1797.
- Paerl HW, Prufert LE, Ambrose WW (1991). Contemporaneous N_2 fixation and oxygenic photosynthesis in the nonheterocystous mat-forming cyanobacterium *Lynxbya aestuarii*. *Appl Environ Microbiol* 57(11):3086-3092.
- Prasad AB, Vaishampayan A, Vishwakarma ML, Shrivastava DK (1991). Development of fungicide-resistance coupled with N_2 -fixing ability during NH_4^+ -mediated growth, as a mutational event, in a cyanobacterium *Nostoc muscorum*. *Biomed Lett* 46(184):245-251.
- Yakunin AF, Jha M, Ch'ang W-N, Gogotov IN (1991). Influence of ammonium on the nitrogenase activity of the heterocystic cyanobacterium *Anabaena variabilis*. *Dokl Akad Nauk SSSR* 315:748-750 [Russ]; 315:292-294 [Engl].
- Zehr JP, Ohki K, Fujita Y (1991). Arrangement of nitrogenase structural genes in an aerobic filamentous nonheterocystous cyanobacterium. *J Bacteriol* 173(21):7055-7058.
- Altenburger R, Abarzua S, Callies R, Grimme LH, Mayer A, Leibfritz D (1991). Ammonia rhythm in *Microcystis firma* studied by in vivo ^{15}N and ^{31}P NMR spectroscopy. *Arch Microbiol* 156(6):471-476.
- Bagchi SN, Kleiner D (1991). Interrelationship between hydrogen peroxide, ammonia, glutamine, hydroxylamine and nitrite metabolism in the cyanobacterium *Phormidium uncinatum*. *Arch Microbiol* 156(5):367-369.
- Bisen PS, Shanthi S (1991). Regulation of assimilatory nitrate reductase in the cyanobacterium *Anabaena doliolum*. *Curr Microbiol* 23(5):239-244.
- Boussiba S, Gibson J (1991). Ammonia translocation in cyanobacteria. *FEMS Microbiol Rev* 88(1):1-14.
- Chen T-H, Chen T-L, Hung L-M, Huang T-C (1991). Circadian rhythm in amino acid uptake by *Synechococcus* RF-1. *Plant Physiol* 97(1):55-59.
- Madueno F, Guerrero MG (1991). Use of a mutant strain of the cyanobacterium *Synechococcus* R2 for the determination of nitrate. *Anal Biochem* 198(1):200-202.
- Merida A, Candau P, Florencio FJ (1991). In vitro reactivation of in vivo ammonium-inactivated glutamine synthetase from *Synechocystis* sp. PCC 6803. *Biochem Biophys Res Commun* 181(2):780-786.
- Powell HA, Kerby NW, Rowell P (1991). Natural tolerance of cyanobacteria to the herbicide glyphosate. *New Phytol* 119(3):421-426.
- Singh S (1991). Urea metabolism in the cyanobacterium *Anabaena cycadeae*: Regulation of urea uptake and urease by ammonia. *FEMS Microbiol Lett* 84(2):177-182.
- Wu J-T, Ma P-I, Chou T-L (1991). Variation of geosmin content in *Anabaena* cells and its relation to nitrogen utilization. *Arch Microbiol* 157(1):66-69.
- Golden JW, Whorff LL, Wiest DR (1991). Independent regulation of *nifHDK* operon transcription and DNA rearrangement during heterocyst differentiation in the cyanobacterium *Anabaena* sp. strain PCC 7120. *J Bacteriol* 173(22):7098-7105.
- Khudyakov IYa, Pinevich AV (1991). Unicellular mutant of the filamentous cyanobacterium *Anabaena* sp PCC 7118 [Russ with Engl abstr]. *Microbiol* 60:(in press).
- Mahasneh IA (1991). Influence of iron content on nitrogenase activity and heterocyst formation of the blue-green alga (cyanobacterium) *Calothrix viguieri* M101 Frey. *Microbios* 65:31-37.
- Orus MI, Marco E (1991). Heterocyst structure alteration and O_2 -mediated inhibition of dinitrogen fixation by trichlorfon in *Anabaena* PCC 7119. *J Exp Bot* 42(245):1595-1600.
- Peschek GA, Villgrater K, Wastyn M (1991). 'Respiratory protection' of the nitrogenase in dinitrogen-fixing cyanobacteria. *Plant Soil* 137(1):17-24.
- Song L-R, Li S-H (1991). Biochemical features of *Anabaena azollae* during akinete differentiation. *Chinese Sci Bull* 36:1393-1395.
- Wolk CP (1991). Genetic analysis of cyanobacterial development. *Curr Opin Genet Develop* 1:336-341.

CARBON METABOLISM

- Bowes G (1991). Growth at elevated CO₂: Photosynthetic responses mediated through rubisco. *Plant Cell Environ* 14(8):795-806.
- Broedel SE Jr, Wolf RE Jr (1991). Growth-phase-dependent induction of 6-phosphogluconate dehydrogenase and glucose 6-phosphate dehydrogenase in the cyanobacterium *Synechococcus* sp. PCC 7942. *Gene* 109(1):71-79.
- Coleman JR (1991). The molecular and biochemical analyses of CO₂-concentrating mechanisms in cyanobacteria and microalgae. *Plant Cell Environ* 14(8):861-867.
- Espie GS, Miller AG, Calvin DT (1991). High affinity transport of CO₂ in the cyanobacterium *Synechococcus* UTEX 625. *Plant Physiol* 97(3):943-953.
- Iglesias AA, Kakefuda G, Preiss J (1991). Regulatory and structural properties of the cyanobacterial ADP-glucose pyrophosphorylases. *Plant Physiol* 97(3):1187-1195.
- Kaplan A, Schwarz R, Lieman-Hurwitz J, Reinhold L (1991). Physiological and molecular aspects of the inorganic carbon-concentrating mechanism in cyanobacteria. *Plant Physiol* 97(3):851-855.
- Lee B, Read BA, Tabita FR (1991). Catalytic properties of recombinant octameric, hexadecameric, and heterologous cyanobacterial/bacterial ribulose-1,5-bisphosphate carboxylase/oxygenase. *Arch Biochem Biophys* 291(2):263-269.
- Norman EG, Colman B (1991). Characterization of a malate dehydrogenase in the cyanobacterium *Coccochloris pentocystis*. *Arch Microbiol* 156(1):28-33.
- Su X, Bogorad L (1991). A residue substitution in phosphoribulokinase of *Synechocystis* PCC 6803 renders the mutant light-sensitive. *J Biol Chem* 266(35):23698-23705.

PHOTOSYNTHESIS and PHOTOSYSTEMS

- Avery SV, Miller ME, Gadd GM, Codd GA, Cooney JJ (1991). Toxicity of organotin towards cyanobacterial photosynthesis and nitrogen fixation. *FEMS Microbiol Lett* 84(2):205-210.
- Chamovitz D, Pecker I, Hirschberg J (1991). The molecular basis of resistance to the herbicide norflurazon. *Plant Mol Biol* 16(6):967-974.
- Donkor V, Haeder D-P (1991). Effects of solar and ultraviolet radiation on motility, photomovement and pigmentation in filamentous, gliding cyanobacteria. *FEMS Microbiol Ecol* 86(2):159-168.
- Pinevich AV (1992). Dynamic structure of the cyanobacterial membrane apparatus - a review [Russ with Engl abstr]. *Algol* 2:(in press).
- Pinevich AV (1986). Functional structure of cyanobacteria: Membrane system [Russ]. *Proc Biol Inst Leningrad U* 38:9-59.
- Pinevich AV, Topchieva LV (1991). The extent of autonomy in cyanobacterial intracellular membranes: electron cytochemical study of *Synechocystis* sp. [Russ with Engl abstr]. *Microbiol* 60:512-517.
- Pinevich AV, Volkov VV (1988). Comparative structure of the photosynthetic apparatus in *Anabaena* ATCC 29413 cultivated photo- and chemotrophically [Russ with Engl abstr]. *Proc Leningrad U Ser Biol* 2:74-83.
- Yokoyama E, Murakami A, Sakurai H, Fujita Y (1991). Effect of supra-high irradiation on the photosynthetic system of the cyanophyte *Synechocystis* PCC 6714. *Plant Cell Physiol* 32(6):827-834.
- Chitnis PR, Purvis D, Nelson N (1991). Molecular cloning and targeted mutagenesis of the gene *psaF* encoding subunit III of photosystem I from the cyanobacterium *Synechocystis* sp. PCC 6803. *J Biol Chem* 266(30):20146-20151.
- Hladik J, Sofrova D (1991). Does the trimeric form of the Photosystem I reaction center of cyanobacteria in vivo exist?. *Photosynth Res* 29(3):171-175.
- Ikeuchi M, Nyhus KJ, Inoue Y, Pakrasi HB (1991). Identities of four low-molecular-mass subunits of the photosystem I complex from *Anabaena variabilis* ATCC 29413: Evidence for the presence of the *psal* gene product in a cyanobacterial complex. *FEBS Lett* 287(1-2):5-9.
- Li N, Warren PV, Golbeck JH, Frank G, Zuber H, Bryant DA (1991). Polypeptide composition of the Photosystem I complex and the Photosystem I core protein from *Synechococcus* sp. PCC 6301. *Biochim Biophys Acta Bio-Energetics* 1059(2):215-225.
- Li N, Zhao J, Warren PV, Warden JT, Bryant DA, Golbeck JH (1991). PsaD is required for the stable binding of PsaC to the photosystem I core protein of *Synechococcus* sp. PCC 6301. *Biochemistry* 30(31):7863-7872.
- Mann K, Schlenkrich T, Bauer M, Huber R (1991). The amino-acid sequence of three proteins of photosystem I of the cyanobacterium *Fremyella diplosiphon* (*Calothrix* sp PCC 7601). *Biol Chem Hoppe Seyler* 372(7):519-524.
- Mannan RM, Whitmarsh J, Nyman P, Pakrasi HB (1991). Directed mutagenesis of an iron-sulfur protein of the photosystem I complex in the filamentous cyanobacterium *Anabaena variabilis* ATCC 29413. *Proc Natl Acad Sci USA* 88(22):10168-10172.
- Shubin VV, Murthy SDS, Karapetyan NV, Mohanty P (1991). Origin of the 77 K variable fluorescence at 758 nm in the cyanobacterium *Spirulina platensis*. *Biochim Biophys Acta Bio-Energetics* 1060(1):28-36.
- Smart LB, Anderson SL, McIntosh L (1991). Targeted genetic inactivation of the photosystem I reaction center in the cyanobacterium *Synechocystis* sp. PCC 6803. *EMBO J* 10(11):3289-3296.
- Toelge M, Ziegler K, Maldener I, Lockau W (1991). Directed mutagenesis of the gene *psaB* of Photosystem I of the cyanobacterium *Anabaena variabilis* ATCC 29413. *Biochim Biophys Acta Bio-Energetics* 1060(2):233-236.
- Bockholt R, Masepohl B, Pistorius EK (1991). Insertional inactivation of the *psbO* gene encoding the manganese stabilizing protein of photosystem II in the cyanobacterium *Synechococcus* PCC 7942: Effect on photosynthetic water oxidation and L-amino acid oxidase activity. *FEBS Lett* 294(1-2):59-63.
- Bustos SA, Golden SS (1991). Expression of the *psbDII* gene in *Synechococcus* sp. strain PCC 7942 requires sequences downstream of the transcription start site. *J Bacteriol* 173(23):7525-7533.
- Bustos SA, Golden SS (1992). Light-regulated expression of the *psbD* gene family in *Synechococcus* sp. strain PCC 7942: evidence for the role of duplicated *psbD* genes in cyanobacteria. *Mol Gen Genet* (in press).
- Cao J, Vermaas WFF, Govindjee (1991). Arginine residues in the D2 polypeptide may stabilize bicarbonate binding in photosystem II of *Synechocystis* sp. PCC 6803. *Biochim Biophys Acta Bio-Energetics* 1059(2):171-180.
- Green KL, Golden SS (1992). Conserved relationship between *psbH* and *petBD* genes: presence of a shared upstream element in *Prochlorothrix hollandica*. *Plant Mol Biol* (in press).
- Greer KL, Golden SS (1991). Nucleotide sequence of *psbB* from *Prochlorothrix hollandica*. *Plant Mol Biol* 17(4):915-917.

- Kirilovsky D, Ducruet J-M, Etienne A-L (1991). Apparent destabilization of the S1 state related to herbicide resistance in a cyanobacterium mutant. *Biochim Biophys Acta Bio-Energetics* 1060(1):37-44.
- Kretschmann H, Pauly S, Witt HT (1991). Evidence for a chemical reaction of hydroxylamine with the photosynthetic water splitting enzyme S in the dark--Possible states of manganese and water in the S cycle. *Biochim Biophys Acta Bio-Energetics* 1059(2):208-214.
- Lysenko ES, Gapeeva TA, Ermakova SYu, Elanskaya IV, Ogarkova OA, Tarasov VA (1991). Homology between cloned DNA fragments from cyanobacterium *Synechocystis* 6803 and chloroplast and nuclear DNA from higher plants. *Genetika* 27:581-587 (*Transl* 27:397-402).
- Mayes SR, Barber J (1991). Primary structure of the *psbN-psbH-petC-petA* gene cluster of the cyanobacterium *Synechocystis* PCC 6803. *Plant Mol Biol* 17(2):289-293.
- Mayes SR, Cook KM, Self SJ, Zhang Z, Barber J (1991). Deletion of the gene encoding the Photosystem II 33 kDa protein from *Synechocystis* sp. PCC 6803 does not inactivate water-splitting but increases vulnerability to photoinhibition. *Biochim Biophys Acta Bio-Energetics* 1060(1):1-12.
- Mohamed A, Jansson C (1991). Photosynthetic electron transport controls degradation but not production of *psbA* transcripts in the cyanobacterium *Synechocystis* 6803. *Plant Mol Biol* 16(5):891-897.
- Post AF, Mimuro M, Fujita Y (1991). Light 2 directed changes in the effective absorption cross-section of Photosystem II in *Synechocystis* 27170 are related to modified action on the donor side of the reaction center. *Biochim Biophys Acta Bio-Energetics* 1060(1):67-74.
- Van der Bolt F, Vermaas W (1992). Photoinactivation of photosystem II as studied with site-directed D2 mutants of the cyanobacterium *Synechocystis* sp. PCC 6803. *Biochim Biophys Acta - Bioenergetics* 1098:247-254.

PHYCOBILISOMES and PIGMENTS

- Beale SI, Cornejo J (1991). Biosynthesis of phycobilins. 3(Z)-Phycocerythrobilin and 3(Z)-phycocyanobilin are intermediates in the formation of 3(E)-phycocyanobilin from biliverdin IX α . *J Biol Chem* 266(33):22333-22340.
- Bhalerao RP, Gillbro T, Gustafsson P (1991). Structure and energy transfer of the phycobilisome in a linker protein replacement mutant of cyanobacterium *Synechococcus* 7942. *Biochim Biophys Acta Bio-Energetics* 1060(1):59-66.
- Bishop JE, Nagy JO, O'Connell JF, Rapoport H (1991). Diastereoselective synthesis of phycocyanobilin-cysteine adducts. *J Am Chem Soc* 113(21):8024-8035.
- Braslavsky SE, Schneider D, Heihoff K, Nonell S, Aramendia PF, Schaffner K (1991). Phytochrome models. 11. Photophysics and photochemistry of phycocyanobilin dimethyl ester. *J Am Chem Soc* 113(19):7322-7334.
- Bryant DA, Stirewalt VL, Glauser M, Frank G, Sidler W, Zuber H (1991). A small multigene family encodes the rod-core linker polypeptides of *Anabaena* sp. PCC 7120 phycobilisomes. *Gene* 107(1):91-99.
- Dubbs JM, Bryant DA (1991). Molecular cloning and transcriptional analysis of the *cpeBA* operon of the cyanobacterium *Pseudanabaena* species PCC 7409. *Mol Microbiol* 5(12):3073-3085.
- Hilditch CM, Smith AJ, Balding P, Rogers LJ (1991). C-phycocyanin from the cyanobacterium *Aphanothece halophytica*. *Phytochemistry* 30(11):3515-3517.
- Karshikov A, Duerring M, Huber R (1991). Role of electrostatic interaction in the stability of the hexamer of constitutive phycocyanin from *Fremyella diplosiphon*. *Protein Eng* 4(6):681-690.
- Ohki K, Fujita Y (1991). Complementary chromatic adaptation in the cyanobacterium, *Tolytophrix tenuis*: Location of phycocerythrin newly synthesized by green illumination. *Plant Cell Physiol* 32(4):483-488.
- Rodriguez H, Rivas J, Guerrero MG, Losada M (1991). Enhancement of phycobiliprotein production in nitrogen-fixing cyanobacteria. *J Biotechnol* 20(3):263-270.
- Wilson WH, Newman J, Mann NH, Carr NG (1991). Cloning and sequence analysis of the phycocyanin genes of the marine cyanobacterium *Synechococcus* sp. WH7803. *Plant Mol Biol* 17(4):931-933.
- Xia AD, Zhu JC, Jiang LJ, Li DL, Zhang XY (1991). Energy transfer kinetics in C-phycocyanin from cyanobacterium *Westiellopsis prolifica* studied by pump-probe techniques. *Biochem Biophys Res Commun* 179(1):558-564.
- Juergens UJ, Maentele W (1991). Orientation of carotenoids in the outer membrane of *Synechocystis* PCC 6714 (Cyanobacteria). *Biochim Biophys Acta Bio-Membr* 1067(2):208-212.
- Pinevich AV, Koshina IA (1990). Isolation and analysis of NTG-induced cyanobacterial mutants impaired in pigment content [Russ with Engl abstr]. *Proc Leningrad U Ser Biol* 3:84-95.
- Pinevich AV, Tolstaya TV (1991). Biogenesis of the photosynthetic apparatus under the inhibition of tetrapyrrole synthesis [Russ with Engl abstr]. *Microbiol* 60:(in press).
- Rieble S, Beale SI (1991). Separation and partial characterization of enzymes catalyzing δ -aminolevulinic acid formation in *Synechocystis* sp. PCC 6803. *Arch Biochem Biophys* 289(2):289-297.
- Smith MA, Grimm B, Kannangara CG, Von Wettstein D (1991). Spectral kinetics of glutamate-1-semialdehyde aminomutase of *Synechococcus*. *Proc Natl Acad Sci USA* 88(21):9775-9779.

ELECTRON TRANSPORT and BIOENERGETICS

- Moser D, Nicholls P, Wastyn M, Peschek G (1991). Acidic cytochrome c_6 of unicellular cyanobacteria is an indispensable and kinetically competent electron donor to cytochrome oxidase in plasma and thylakoid membranes. *Biochem Int* 24(4):757-768.
- Nicholls P, Obinger C, Niederhauser H, Peschek GA (1991). Cytochrome c and c_{554} oxidation by membranous *Anacystis nidulans* cytochrome oxidase. *Biochem Soc Trans* 19(3):252S-252S.
- Nicholls P, Obinger C, Niederhauser H, Peschek GA (1992). Cytochrome oxidase in *Anacystis nidulans*: stoichiometries and possible functions in the cytoplasmic and thylakoid membranes. *Biochim Biophys Acta - Bioenergetics* 1098:184-190.
- Tano H, Ishizuka M, Sone N (1991). The cytochrome c oxidase genes in blue-green algae and characteristics of the deduced protein sequence for subunit II of the thermophilic cyanobacterium *Synechococcus vulcanus*. *Biochem Biophys Res Commun* 181(1):437-442.
- Clubb RT, Thanabal V, Osborne C, Wagner G (1991). ^1H and ^{15}N resonance assignments of oxidized flavodoxin from *Anacystis nidulans* with 3D NMR. *Biochemistry* 30(31):7718-7730.

- Fillat MF, Borrias WE, Weisbeek PJ (1991). Isolation and overexpression in *Escherichia coli* of the flavodoxin gene from *Anabaena* PCC 7119. *Biochem J* 280(1):187-191.
- Pueyo JJ, Gomez-Moreno C (1991). Purification of ferredoxin-NADP⁺ reductase, flavodoxin and ferredoxin from a single batch of the cyanobacterium *Anabaena* PCC 7119. *Prep Biochem* 21(4):191-204.
- Pueyo JJ, Gomez-Moreno C (1991). Characterization of the cross-linked complex formed between ferredoxin-NADP⁺ reductase and flavodoxin from *Anabaena* PCC 7119. *Biochim Biophys Acta Bio-Energetics* 1059(2):149-156.
- Anderson SL, McIntosh L (1991). Partial conservation of the 5' *ndhE-psaC-ndhD* 3' gene arrangement of chloroplasts in the cyanobacterium *Synechocystis* sp. PCC 6803: Implications for NdhD function in cyanobacteria and chloroplasts. *Plant Mol Biol* 16(4):487-499.
- Belkin S, Boussiba S (1991). Resistance of *Spirulina platensis* to ammonia at high pH values. *Plant Cell Physiol* 32(7):953-958.
- Berger S, Ellersiek U, Steinmueller K (1991). Cyanobacteria contain a mitochondrial complex I-homologous NADH-dehydrogenase. *FEBS Lett* 286(1-2):129-132.
- Lill H, Nelson N (1991). The *atp1* and *atp2* operons of the cyanobacterium *Synechocystis* sp. PCC 6803. *Plant Mol Biol* 17(4):641-652.
- Mamedov MD, Hayashi H, Wada H, Mohanty PS, Papageorgiou GC, Murata N (1991). Glycinebetaine enhances and stabilizes the evolution of oxygen and the synthesis of ATP by cyanobacterial thylakoid membranes. *FEBS Lett* 294(3):271-274.
- Pinevich AV, Protasov EA (1991). Compartmentalization of H⁺-translocating intracytoplasmic membranes in cyanobacteria: data on the light-induced decrease in pH of the cell suspensions [Russ with Engl abstr]. *Proc Leningrad U Ser Biol* 1:77-84.
- Steinmüller K (1992). Nucleotide sequence and expression of the *ndhH* gene of the cyanobacterium *Synechocystis* sp PCC 6803. *Plant Mol Biol* 18:135-137.
- Takahashi Y, Shonai F, Fujita Y, Kohchi T, Ohyama K, Matsubara H (1991). Structure of a co-transcribed gene cluster, *ndh1-fx-B3-ndh6-ndh4L*, cloned from the filamentous cyanobacterium *Plectonema boryanum*. *Plant Cell Physiol* 32(7):969-981.

MOLECULAR GENETICS and METABOLISM OF MACROMOLECULES

- Kong F, Li S (1991). Isolation, culture, and regeneration of spheroplasts of blue-green algae [Chinese, Engl abstract]. *Acta Hydrobiol Sinica* 15:119-126.
- Haselkorn R (1991). Genetic systems in cyanobacteria. *Methods Enzymol* 204:418-430.
- Lanfalconi L, Trinei M, Russo M, Gualerzi CO (1991). Mutagenesis of the cyanobacterium *Spirulina platensis* by UV and nitrosoguanidine treatment. *FEMS Microbiol Lett* 83(1):85-90.
- Alam J, Vrba JM, Cai Y, Martin JA, Weislo LJ, Curtis SE (1991). Characterization of the IS895 family of insertion sequences from the cyanobacterium *Anabaena* sp. strain PCC 7120. *J Bacteriol* 173(18):5778-5783.
- Cai Y (1991). Characterization of insertion sequence IS892 and related elements from the cyanobacterium *Anabaena* sp. strain PCC 7120. *J Bacteriol* 173(18):5771-5777.
- Gurevitz M, Osiewicz HD, Keren Y (1991). Molecular evidence for interchromosomal recombination in the cyanobacterium *Synechocystis* sp. PCC 6803. *Plant Sci* 78(2):217-224.
- Li J-K, Tu J (1991). Ssp RFI, a novel class-II restriction endonuclease from *Synechococcus* RF-1 recognizing 5'TT/CGAA-3'. *Nucleic Acids Res* 19(17):4770-4770.
- Mazel D, Bernard C, Schwarz R, Castets AM, Houmar J, Tandeau de Marsac N (1991). Characterization of two insertion sequences, IS701 and IS702, from the cyanobacterium *Calothrix* species PCC 7601. *Mol Microbiol* 5(9):2165-2170.
- Milkowski C, Quinones A (1991). Cloning of promoter-active DNA sequences from the cyanobacterium *Synechocystis* sp. PCC 6803 in an *Escherichia coli* host. *Curr Microbiol* 23(6):333-336.
- Ogura Y, Yoshida T, Nakamura Y, Takemura M, Oda K, Ohyama K (1991). Gene encoding a putative zinc finger protein in *Synechocystis* PCC 6803. *Agr Biol Chem* 55(9):2259-2264.
- Schneider GJ, Lang JD, Haselkorn R (1991). Promoter recognition by the RNA polymerase from vegetative cells of the cyanobacterium *Anabaena* 7120. *Gene* 105(1):51-60.
- Vorlickova M, Khudyakov IY, Hejtmankova I, Kypr J (1991). Circular dichroism studies of salt- and alcohol-induced conformational changes in cyanophage S-2L DNA which contains amino-2-adenine instead of adenine. *J Biomol Struct Dynam* 9(1):81-85.
- Zehr JP, Ohki K, Fujita Y, Landry D (1991). Unique modification of adenine in genomic DNA of the marine cyanobacterium *Trichodesmium* sp. strain NIBB 1067. *J Bacteriol* 173(21):7059-7062.

APPLIED CYANOBACTERIOLOGY

- Benemann JR (1990). Microalgae products and production: an overview. *Develop Industrial Microbiol* 31:247-256.
- Berthold HK, Hachey DL, Reeds PJ, Thomas OP, Hoeksema S, Klein PD (1991). Uniformly ¹³C-labeled algal protein used to determine amino acid essentiality in vivo. *Proc Natl Acad Sci USA* 88(18):8091-8095.
- Kawata Y, Yamano N, Kojima H, Itoh S (1991). Expression of salmon growth hormone in the cyanobacterium *Agmenellum quadruplicatum*. *Biotechnol Lett* 13(12):851-856.
- Rakow AL, Fernald D (1991). Concentration of *Spirulina* suspensions by radial migration with flow through vertical tees. *Biotechnol Prog* 7(4):343-347.
- Sode K, Horikoshi K, Takeyama H, Nakamura N, Matsunaga T (1991). On-line monitoring of marine cyanobacterial cultivation based on phycocyanin fluorescence. *J Biotechnol* 21(3):209-218.
- Wilde EW, Benemann JR, Weissman JC, Tillen DM (1991). Cultivation of algae and nutrient removal in a waste heat utilization process. *J Appl Phycol* 3:159-167.
- Boussiba S (1991). Nitrogen fixing cyanobacteria potential uses. *Plant Soil* 137(1):177-180.
- Das SC, Mandal B, Mandal LN (1991). Effect of growth and subsequent decomposition of blue-green algae on the transformation of iron and manganese in submerged soils. *Plant Soil* 138(1):75-84.
- Gantar M, Kerby NW, Rowell P (1991). Colonization of wheat (*Triticum vulgare* L.) by N₂-fixing cyanobacteria: II. An ultrastructural study. *New Phytol* 118(3):485-492.

- Gantar M, Kerby NW, Rowell P, Obreht Z (1991). Colonization of wheat (*Triticum vulgare* L.) by N₂-fixing cyanobacteria: I. A survey of soil cyanobacterial isolates forming associations with roots. *New Phytol* 118(3):477-483.
- Kobbia IA, Shabana EF, Khalil Z, Mostafa FIY (1991). Fate of ¹⁴C-labelled methomyl as affected by *Nostoc muscorum* and *Tolypothrix tenuis* and its role in their metabolic activities. *J Environ Sci Health [B]* 26B(4):409-425.
- Modi DR, Singh AK, Rao KS, Chakravarty D, Singh HN (1991). Construction of multiple herbicide resistant ammonia excreting strains of cyanobacterium *Nostoc muscorum*. *Biotechnol Lett* 13(11):793-798.
- Mostafa IY, Shabana EF, Khalil Z, Mostafa FIY (1991). The metabolic fate of ¹⁴C-parathion by some fresh water phytoplankton and its possible effects on the algal metabolism. *J Environ Sci Health [B]* 26B(5-6):499-512.
- Quispel A (1991). A critical evaluation of the prospects for nitrogen fixation with non-legumes. *Plant Soil* 137(1):1-11.
- Rao DLN, Burns RG (1990). The effect of surface growth of blue-green algae and bryophytes on some microbiological, biochemical, and physical soil properties. *Biol Fertil Soils* 9:239-244.
- Watanabe I, Yoneyama T, Talukdar H, Ventura W (1991). The contribution of atmospheric N₂ to *Azolla* spp grown on flooded soils. *Soil Sci Plant Nutr* 37:101-109.

ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADD

CONTRIBUTORS

- | | |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| John Benemann | 1212 Kelley Ct., Pinole, CA 94564 U.S.A. (Tel) 510-724-4251 (FAX) 510-724-5282 |
| Yuping Cai | Plant Research Laboratory, Michigan State University, East Lansing, MI 48824 U.S.A. (Tel) 517-353-6641 (FAX) 517-353-9168 (E-Mail) 22333ypc@Msu.Bitnet |
| Jeff Elhai | Plant Research Laboratory, Michigan State University, East Lansing MI 48824-1312 U.S.A. (Tel) 517-353-6641 (FAX) 517-353-9168 (E-Mail) Cyano@Msu.Edu |
| Anneliese Ernst | Plant Research Laboratory, Michigan State University, East Lansing, MI 48824 U.S.A. (Tel) 517-353-6641 (FAX) 517-353-9168 (E-Mail) 22333ale@Msu.Bitnet |
| Susan Golden | Texas A&M University, Department of Biology, College Station, TX 77843-3258 U.S.A. (Tel) 409-845-9824 (FAX) 409-845-2891 (E-Mail) Ssg7231@Tamsamma |
| NV Nesterova | Institute Microbiology and Virology AN Ukraine, St. Zabolotni 154, Kiev 252143 Ukraine |
| Alexander Pinevich | Laboratory of Microbiology, Biology Institute of St. Petersburg University, Oranienbaumskaya sch., 2 Stary Peterhof, St. Petersburg 198904 Russia |
| Olav Skulberg | Norwegian Institute for Water Research, P.O.box 69 Korsvall, N-0808 Oslo 8 NORWAY |
| Vladimir Thernajenko | Dept. of Mol. Radiat. Biophys., Nuclear Phys. Inst., Gatchina, St. Petersburg District, 188350 RUSSIA. (E-Mail): Bagiyan@Lmpi.Spb.Su |
| Sean Turner | Dept. of Biological Sciences, University of Cincinnati, Cincinnati OH 45221-0006 U.S.A. (Tel) 513-556-9747 (E-Mail) TurnerSW@Ucbeh.San.Uc.Edu |
| John Wright | School of Biological Sciences, University of Bath, Bath, Avon BA2 7AY U.K. (Tel) 0225 61244 extn. 421 |

Send CONTRIBUTIONS to one of the addresses listed below. To SUBSCRIBE, send \$10 U.S. (or equivalent in any currency) per year to Jeff Elhai, along with your name, telephone, FAX, and EMail numbers (if any), and a brief description of your research interests for inclusion in the next Directory of Cyanobacteriologists. If it is difficult for you to send hard currency, send a note indicating your interest.

- | | | |
|-----------------------------|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AUSTRALIA/NEW ZEAL./SE.ASIA | Steve Delaney | Department of Biotechnology, University of New South Wales, P.O. Box 1 Kensington, New South Wales AUSTRALIA 2033 |
| AUSTRIA | Georg Schmetterer | Institut für Physikalische Chemie, Währingerstrasse 42, A-1090 Wien (E-Mail) a8422dad@Awioni11 |
| CANADA | Neil Strauss | Dept. of Botany, University of Toronto Toronto, Ontario M5S 1A1 |
| P.R.CHINA | Shang-Hao Li | Laboratory of Phycology, Institute of Hydrobiology, Academia Sinica, Wuhan |
| CZECHOSLOV. | Jiri Komarek | Institute of Botany, CAS Dept. of Hydrobotany, Dukelske 145, CS-37982 Trebon |
| FRANCE | Nicole Tandeau de Marsac | Physiologie Microbienne, Institut Pasteur, 29 rue du Dr. Roux, 75724 Paris Cedex 15. (E-Mail) Cyano@Pasteur |
| GERMANY | Wolfgang Lockau | Institut für Botanik, Universität, Universitätsstr. 31, 8400 Regensburg |
| INDIA | Joe Thomas | Biotechnology Division, SPIC Science Foundation, 110 Mount Road, Madras 600 032 |
| ISRAEL | Elisha Tel-Or | Dept. of Agricultural Botany, The Hebrew University, Rehovot 76100 |
| ITALY | Mario Tredici | Centro di Studio dei Microorganismi Autotrof. (C.N.R.), P.le. delle Cascine 27 51044 Firenze |
| NETHERLANDS | Luuc Mur | Laboratorium voor Microbiologie, Universiteit voor Amsterdam, Nieuwe Achtergracht 127, 1018 WS Amsterdam |
| SCANDANAVIA | Olav Skulberg | Norwegian Institute for Water Research, P.O.box 69 Korsvall, N-0808 Oslo 8 NORWAY |
| U.K. | Tony Walsby | Dept. of Botany, University of Bristol, Bristol BS8 1UG |
| ANYWHERE ELSE | Jeff Elhai | MSU-DOE Plant Research Laboratory, Michigan State University, East Lansing MI 48824-1312, U.S.A. (E-Mail) Cyano@MSU.Bitnet or Cyano@MSU.Edu (FAX) 517-353-9168 |